

GERDA®

PREMIUM DOOR MANUFACTURER

DOOR TO **YOUR** HOME



TECHNOLOGY

CERTIFICATES

SMART HOME



THERMO
PRIME 75

THERMO
PREMIUM 75

THERMO
**PREMIUM 75
DUO**

THERMO
PREMIUM 60

OPTIMA 60

www.gerda.com

EDITION 1.2026




Doors



Our door frame and leaf solutions are perfect even for the most demanding facilities. Panel and metal doors in our offer feature superior durability, functionality (e.g. easy removal and replacement of a door panel) and the freedom of arrangement.

Garage doors



All of our garage doors comply with European standards. GERDA doors are equipped with a complete security system, free of any additional charges.

The G40 series of doors is an economical, yet durable and functional solution, perfect for residential developments.

The G60 series of doors guarantee excellent thermal insulation, thanks in part to the use of 60 mm thick insulated panels. They are perfect for buildings with high energy efficiency requirements.

The doors presented in the catalog meet certification standards:
EN 14351-1:2006 +A2:2016.
Please check and specify the requirements under a specific country or region.

Locks and hardware



Security first. Heat-treated inner die casts or steel plates ensure high resistance to burglary. Hardened lock cylinder cover protects against wrenching off and prevents drilling.

The MASTER KEY system is a solution dedicated for commercial facilities. A single key may be used to open a pre-determined number of locks. This way, moving around the facility is quick and easy, while zone and room access management is very comfortable.

Aluminum joinery



GERDA also offers aluminum joinery. We build partition walls, doors, windows, shop windows and both indoor and outdoor spatial installations, also in fire-resistant and smoke-tight or high burglary-resistant versions.

tedee PRO

powered by **GERDA**[®]

TURN YOUR SMARTPHONE INTO A SMART DOOR LOCK



OPEN DOORS WITH YOUR SMARTPHONE

Open and close doors and monitor door lock status from any place around the world. With the automatic opening feature, you don't need to take your phone out from your purse or pocket. The lock will detect your presence and let you in. The self-locking feature works based on the same principle.

HIGH-PERFORMANCE BATTERY

Gerda engineers, in collaboration with the South Korean Research Institute, have developed a small dedicated high-performance battery. It powers the mechanism for six months of operation. And when in need of recharging, the lock will let you know as you can charge the battery overnight.

SAFETY WARRANTY

The lock actuating mechanism is an innovative, patented design developed by Gerda engineers. The software was created by Tedee IoT experts. An intuitive app lets you keep track of who and when has locked or unlocked the door. It also offers a virtual key allocation feature.

SET

tedee PRO SMARTLOCK + tedee BRIDGE + CLASS 6 LOCK CYLINDER



CLASS 6 LOCK CYLINDERS INCLUDED

- ✓ ANTI-BURGLARY LOCK CYLINDER. NEW DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.

INSTALL A TEDEE LOCK

- ✓ SLIDE THE LOCK ONTO A GERDA LOCK CYLINDER, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.

INSTALL SMARTPHONE APP

- ✓ DOWNLOAD THE **tedee** APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUETOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.

CONNECT THE BRIDGE

- ✓ FIND A FREE POWER SOCKET NEXT TO THE **tedee** LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.

TERRA

colour range of laminates



The available range of 22 laminate colours can be found on pages 108-109 of the Catalogue, in the visual configurator and in the Showrooms.


The range of 30 lacquered RAL colours is available in the visual configurator and in the Showrooms.

INSPIRING




GALA

colour range of RAL powder coatings



NIMBUS
fine texture metallics



SILVER SPARKLE
fine texture metallics



BLACK GREY
fine texture metallics





MIDNIGHT
fine texture metallics

GALACTICA


colour range of fine texture metallics powder coatings

COLOURS


A range of 25 metallics and 24 3D-effect powder coating colours is available in the visual configurator and in the Showrooms.



ROSSO 3601
fine texture 3D metallics



AZZURRO 3603
fine texture 3D metallics




MICA 3602
fine texture 3D metallics



MARRONE 3606
fine texture 3D metallics

INTERGALACTICA

colour range of fine texture 3D metallics powder coatings



SILVER ANODE



PLATINUM ANODE



BLACK ANODE



GOLD ANODE



NEW HARDWARE COLOUR – GOLD ANODE

available for the PRAGA and AMSTERDAM hardware series

The accent of classics and a touch of elegance!

The golden color in interiors, especially in details such as handles and grips, is a clear and lasting trend that has been gaining popularity for several years and seems to be here to stay. In handles and grips, the golden color immediately elevates the prestige of doors, façades, or the entire interior – giving it a refined character while simultaneously serving as a striking color accent. From now on, PRAGA and AMSTERDAM series door fittings are available in brushed gold anodized finish. We dedicate golden-colored fittings particularly to the Fargo, Jena, ELITE 3D series, flat doors, and selected designs from the TEMPO series.

no extra charge



MONACO INOX + FILO PECE



MONACO INOX + CORTEN



ROSTOCK INOX + NATURAL OAK



ROSTOCK BLACK RAL 9005 + CORTEN



NEW HANDRAILS: MONACO & ROSTOCK

available for all door series

We are expanding the configuration options for doors with handles.

Made of stainless steel, the Monaco and ROSTOCK handles are a proposition for the demanding – in both series, it is possible to choose from 4 decorative front inserts, as well as button and LED lighting options on the door side. In both series, the LED strip is mounted between the brackets: for the

MONACO handle, it is a line approximately 1 m long, while in ROSTOCK, the lighting is installed along the entire length – approximately 2 m. Both series are available in the colors: INOX and RAL 9005 (black). MONACO handles are available in two lengths: 1500 mm and 1800 mm. ROSTOCK handles have a length of 2000 mm and 3 brackets mounted at the ends and in the middle.



MONACO AND ROSTOCK COLOURS

INOX



BLACK RAL 9005



MONACO AND ROSTOCK INSERTS


NATURAL OAK




CORTEN



FILO PECE



BLACK LACOBEL



LINEA



ROMA 1

ROMA 2



NEW DOOR DESIGNS WITH STRIPS

We present the new LINEA product line, in which the door panel is decorated with permanently attached aluminum strips available in the full range of colours.

The LINEA series is characterized by vertical strips that create a unique visual effect on the door leaf surface. Natural light delicately highlights their three-dimensionality, while night-time lighting brings out the dynamics of the vertical pattern. By configuring the appearance of the door leaf, you can adjust the number and position of slats to your needs.

The ROMA 1 and ROMA 2 designs presented here suit perfectly with built-in pocket pulls, which discreetly accentuate the vertical pattern.

The pocket pulls will be available soon.



LOCK EURO PROFILE CYLINDER – EXXO

available for all door series

The unique features and high technical parameters of the EXXO Class 6 lock insert are now available when purchasing doors for GERDA homes.

The EXXO cylinder is a premium anti-burglary product. Its new design offers protection against opening by bumping and effective anti-drilling solutions.

The set includes five end keys and two construction keys, which easily prevent unauthorized access after installation or renovation. The end key changes the cylinder code so that it cannot be opened with a construction key. The end keys are made of new silver – a material with increased durability.



extra charge



2D



3D



3D HINGES

available for OPTIMA door series

From now on, the OPTIMA door series has been enriched with the possibility of using door hinges with three-dimensional adjustment.

The well-known and valued solution of the 3D hinge improves performance and facilitates correct installation, ensuring adequate tightness around the perimeter of the door leaf.

extra charge

DUO



PASSIVE DOOR LEAF 30



PASSIVE DOOR LEAF 40



PASSIVE DOOR LEAF 50



THERMO PREMIUM 75 DUO NEW DOOR DESIGNS

Unique features and high insulation parameters in the new version of GERDA double-leaf doors.

The **Thermo PREMIUM 75 DUO** product series is a proposition for people looking for home doors with unique design and functional features, but more importantly, with non-standard dimensions.

Previously, GERDA offered this solution in the OPTIMA 60 DUO series doors. However, in response to growing interest and user requirements, an upgrade was made to the **Thermo PREMIUM 75 DUO** series. GERDA's Product Development Department has developed doors with high thermal insulation parameters, a wide selection of escutcheons, pulls, and handles, the option of choosing between deadbolt and slat locks, and the option of installing a concealed door closer.

DUO doors, which incorporate a so-called passive leaf, offer a greater overall width of passage, which is usable when both door leaves are open. This is a unique feature in the door joinery market, making the DUO series doors a product that meets specific user needs without compromising on durability and safety.

The door leaf structure, **ALUTHERM 75** aluminum frame, warm threshold with a clinarite base, and four rebates in both leaves all contribute to a thermal insulation coefficient starting at $U_g = 0.9 \text{ W/m}^2\text{K}$. These solutions not only ensure reduced heat loss in winter but also provide real savings on air conditioning in summer. The aluminum frame ensures the rigidity and dimensional precision of the entire door.



The passive leaf is locked both in the frame and at the threshold using a bolt with an adjustable striker, ensuring structural stability and long-term trouble-free operation of the locks installed in the main door leaf. The passive leaf is available in three sizes: 30, 40, and 50 cm.

The DUO series also offers a wide portfolio of over a dozen stylish models of solid and glazed double doors from the **CROSS LINE**, **AIR GLASS**, **QUADRO**, **ELITE 3D**, and **TEMPO** series.

It is worth mentioning that by choosing a door with a passive leaf in the glazed version, we get an interesting alternative to doors with sidelights.

CROSS LINE

The narrow-roller door leaf embossing technology used here has made it possible to create elegant linear designs.





NARROW-ROLLER LEAF EMBOSSING TECHNOLOGY CROSS LINE

AIR GLASS

The translucent graphite AIR GLASS gives a unique look to the entire door. The edge of the glazing is printed with a black raster, such a pattern is commonly called "automotive glass".

The technology of connecting the glass with the QUADRO insert is patented.





AIR GLASS BETWEEN QUADRO INSERTS

QUADRO

QUADRO inserts are made of a full stainless steel profile. They are completely resistant to weather conditions. Mechanical mounting on hooks (without the use of glue) ensures durability of the fastening. The inserts are available in brushed or powder-coated versions (RAL 9005 standard).

QUADRO patterns are unique in their geometric elegance.



INSERT QUADRO INSTALLATION

GLASS FRAMES


The AIR GLASS and QUADRO door series are available in three designs of glazing frames mounted on the inside of the door leaf.

MODERN aluminium frames will work well in a classic interior.

The X-series frames are flat, minimalist, made of stainless steel, in a brushed INOX finish or painted in black (RAL 9005).



MODERN FRAME



XN FRAME



XB FRAME


ELITE 3D

Decorative frames in the doors of the ELITE 3D series are attached to the leaf with special hooks. The frames are made of aluminium profiles in the colour of the door leaf.




TEMPO

TEMPO designs are a classic combination of practicality, functionality and simplicity of application shapes. Applications use with glazing are available in black or INOX colours. Applications are glued to the door surface or debossed.



CLASSIC

The CLASSIC series includes a family of doors with decorative deep embossing of the leaf. Among the available designs are glazed and full doors, which gives a lot of freedom of choice. As a special order option, Gerda also introduces deep stamping on the outside of the leaf.



CLASSIC FRAME





MODERN FRAME



DEEP DEBOSSING

DOOR OPENING DIRECTION




GLAZING UNITS

The series of glazed doors: CROSS LINE, AIR GLASS, QUADRO, and TEMPO are equipped with a triple-pane glazing unit with a thermal break. Argon, a noble gas, is used in the spaces between the panes, which increases the thermal efficiency of the entire glazing unit. Glazing units firmly joined with a black spacer edge achieve a U_g value (heat transfer coefficient) of $0.6 \text{ W/m}^2\text{K}$. The space between the glazing unit and the door leaf filling is sealed with PUR foam. Such high installation standards protect against heat loss in winter and heat penetration in summer, without compromising on design and style. The glazing units, depending on the size of the door, use 6 mm and 4 mm thick glass.

Example of a glazing unit for a 60 mm door with frosted glass: 4MP/22Ar/5/24Ar/4MP (outer pane*/frame+Argon/middle pane/frame+Argon/inner pane).

Available designs of glazing units: Air Glass, frosted, frosted with translucent stripes, frosted Cross Line, mira star, reflex bronze, reflex graphite, reflex black (antisol), and translucent.

* It is possible to order a unit with P4 glass.




GLAZING UNIT OF THE DOOR LEAF

In a triple-pane glazing unit for aluminum sidelights, laminated glass is used, in which a layer of PVB film is inserted between two 3 mm thick glass panes. In the event of an impact, it holds the broken glass together and prevents it from breaking into pieces. Similar to the glazing units in door leaves, argon, a noble gas, is also used in the space between the panes, which gives the glazing units a thermal insulation value of $U_g = 0.6 \text{ W/m}^2\text{K}$. The offer also includes RC2 burglar-proof sidelights with P4 glass, in which the outer pane of the glass package consists of two layers of 4 mm thick glass and four layers of security film glued between them.

Available types of glazing units for sidelights: frosted, mira star, reflex bronze, reflex graphite, reflex black (antisol), and translucent.

GLAZING UNIT FOR SIDE PANEL
(example of the color of the components)



THERMAL INSULATION


Heat transfer coefficient (U_D) indicates the amount of thermal energy passing through the door (including the door frame). Based on this coefficient, we are able to determine the heat loss for a given division. Even a slight loss translates to higher heating costs. The coefficient value depends on the type and thickness of the door's material. Gerda HOUSE DOORS comply with the current standards by using modern technologies and steel-wooden or aluminum door frames.

Gerda doors, depending on the components used, may have different insulation coefficient levels:

- insulation doors
- energy-saving doors
- passive doors

The basic doors in our offer, so-called insulation doors, have a coefficient below $1.3 \text{ W/m}^2\text{K}$. The door frame used is a steel PERFOTHERM® frame with thermal perforation, a seal and sill. Energy-saving Optima 60 and Thermo Premium 60 doors have a coefficient starting from $0.9 \text{ W/m}^2\text{K}$ with a warm aluminum ALUTHERM door frame (with thermal chamber filling and a seal) and $1.0 \text{ W/m}^2\text{K}$ with DUOTHERM (warm steel-wooden door frame with thermal perforation and seal).

Passive doors are primarily meant to ensure maximum conservation of energy, while increasing the comfort of living. They allow for energy accumulation in the room, which leads to direct savings. Thermo Premium 75 doors feature a heat transfer coefficient from $0.79 \text{ W/m}^2\text{K}$. The heat transfer coefficient applies to solid doors with a warm aluminum ALUTHERM door frame.



RESISTANCE TO BURGLARY

This parameter is decisive for the so-called anti-burglary doors. Such doors have a solid structure that significantly impedes the possibility to cut out an opening through the door, preventing unauthorized entrance. As a standard, GERDA doors are fitted with two robust locks with a multi-point bolting system. Their key element are anti-prizing bolts that prevent forcing the door leaf or lifting it off the hinges. GERDA doors are tested for resistance to burglary and hold an anti-burglary protection class from RC2 to RC3. The higher the class of doors installed, the greater the safety of people and property in the house.

RESISTANCE TO UNAUTHORIZED ACTION	RC2 CLASS	RC3 CLASS
PLIERS	✓	✓
WEDGE	✓	✓
HAMMER	✓	✓
SCREWDRIVER 35 cm LONG	×	✓
STEEL CROWBAR 65 cm LONG	×	✓

LOCK CYLINDERS

model	class	mechanism durability/ cycles number	number of pins	key type	number of key code combinations	resistance to burglary class	resistance to corrosion class	fire resistance	anti-drilling	emergency function	number of keys	other	years of warranty	tedee ready	extra charge
EVO	5	100.000	12	horizontal drilled	9.300.000	C	C	✓	✓	✓	5+2	code card	2	×	×
EXXO	6	100.000	9	horizontal drilled	450.000	D	C	✓	✓	✓	5+2	code card	2	✓	✓
VITA	6	100.000	6	vertical incised	100.000	D	C	✓	✓	✓	5+2	security card	5	✓	✓



 **THERMO PRIME 75**

UD	THERMAL INSULATION U _D VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 75 DOOR FRAME SOLID DOOR 0,79 W/m²K GLAZED DOOR 0,9 W/m²K
RC	RESISTANCE CLASS	RC2
	LEAF THICKNESS	75 mm
	DOOR SIZES	80 · 90N · 90E · 100E*
	DESIGN LINES	CROSS LINE · AIR GLASS · QUADRO · ELITE 3D · TEMPO
	LEAF STRUCTURE	WOODEN FRAME + PUR FOAM
	DOOR TO SIZE	DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm

**ALUTHERM 75 DOOR FRAME
SOLID DOOR / GLAZED DOOR**

$U_d = 0,79 / 0,9 \text{ W/m}^2\text{K}$

**STEEL DOOR FRAME
SOLID DOOR / GLAZED DOOR**

×

RC2

SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)



Adjustable hook hitches




Adjustable pawl hitch



Hinges adjustable in three planes with caps matching hardware's colour



Door leaf with thermal division



ALUTHERM 75 door frame



Mortise lock:
5 point hooked or
3 point automatic




You can choose NEW long door plate PRAGA or split door plate BERGEN




Ring PLATE for door with a handrail*



Composite connector of threshold with windstopper



ALUTHERM 75 door frame



4 sides rebated



Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Lower upstand brush seal PRIME



Fixed anti-prizing bolts



Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes*



tedee PRO + bridge set*

* EXTRA CHARGE



 **THERMO PREMIUM 75**

UD	THERMAL INSULATION U _D VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 75 DOOR FRAME* SOLID DOOR 0,79 W/m ² K GLAZED DOOR 0,85 W/m ² K	DUOTHERM 75 DOOR FRAME SOLID DOOR 0,87 W/m ² K GLAZED DOOR 0,98 W/m ² K
RC	RESISTANCE CLASS	RC2 / RC3**	
	LEAF THICKNESS	75 mm	
	DOOR SIZES	80 · 90N · 90E · 100E*	
	DESIGN LINES	CROSS LINE · AIR GLASS · QUADRO · ELITE 3D · TEMPO	
	LEAF STRUCTURE	WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE	
	DOOR TO SIZE	DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm	

**ALUTHERM 75* DOOR FRAME
SOLID DOOR / GLAZED DOOR**


**DUOTHERM 75 DOOR FRAME
SOLID DOOR / GLAZED DOOR**

$U_D = 0,79 / 0,85 \text{ W/m}^2\text{K}$

$U_D = 0,87 / 0,98 \text{ W/m}^2\text{K}$

RC2 / RC3**


SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)



You can choose NEW long door plate PRAGA or split door plate BERGEN




Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Hinges adjustable in three planes with caps matching hardware's colour



Adjustable pawl hitch



DUOTHERM 75 door frame



Auxiliary 3-bolt lock




Main 3-bolt lock



Mortise lock 3-point 2-hook



Mortise lock 3-point automatic



Door leaf with thermal division



Lower upstand brush seal




Fixed anti-prizing bolts




Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes*



ALUTHERM 75* door frame



DUOTHERM 75 door frame



Composite connector of threshold with windstopper



4 sides rebated



tedee PRO + bridge set*

* EXTRA CHARGE

** FOR SOLID DOORS ONLY, EXTRA CHARGE



THERMO PREMIUM 75 DUO

UD	THERMAL INSULATION U _D VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 75 DOOR FRAME SOLID DOOR (BOTH LEAVES) 0,91 W/m²K GLAZED DOOR (BOTH LEAVES) 0,94 W/m²K
RC	RESISTANCE CLASS	RC2**
	LEAF THICKNESS	75 mm
	DOOR SIZES	80 · 90N · 90E · 100E*
	PASSIVE DOOR SIZES	30 · 40 · 50
G	DESIGN LINES	CROSS LINE · AIR GLASS · QUADRO · ELITE 3D · TEMPO
	LEAF STRUCTURE	WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE
	DOOR TO SIZE	DOORS WITH MORTISE LOCK HEIGHT UP TO 2400 mm DOORS WITH BOLT LOCK HEIGHT UP TO DO 2087 mm

**ALUTHERM 75 DOOR FRAME
SOLID DOOR / GLAZED DOOR**

$U_D = 0,91 / 0,94 \text{ W/m}^2\text{K}$

**STEEL DOOR FRAME
SOLID DOOR / GLAZED DOOR**

-

RC2**

SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)



Adjustable hook hitches




Adjustable pawl hitch in passive door leaf



Adjustable passive door leaf catch in the threshold



Central flush bolt in the passive door leaf



ALUTHERM 75 door frame



Auxiliary 3-bolt lock



Main 3-bolt lock



Mortise lock 3-point 2-hook



Mortise lock 3-point automatic



Hinges adjustable in three planes with caps matching hardware's colour




Lower upstand brush seal PRIME




Fixed anti-prizing bolts



Warm aluminium with subthreshold extension, h=35 mm



ALUTHERM 75 door frame



4 sides rebated in both door leaves



Class 5 lock cylinder, AB system: A - installer's keys + B - final user keys



GERDA RESIST ULTRA insulation duo tapes*



tedee PRO + bridge set*

* EXTRA CHARGE ** DOORS WITH MORTISE LOCK



 **THERMO PREMIUM 60**

UD	THERMAL INSULATION U _D VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 60 DOOR FRAME* SOLID DOOR 0,86 W/m²K GLAZED DOOR 0,95 W/m²K	DUOTHERM 60 DOOR FRAME SOLID DOOR 0,94 W/m²K GLAZED DOOR 1,1 W/m²K
RC	RESISTANCE CLASS	RC2 / RC3**	
	LEAF THICKNESS	60 mm	
	SOUND INSULATION COEFFICIENT R _w	ALUTHERM 60 DOOR FRAME* SOLID DOOR 30 dB GLAZED DOOR 31 dB	DUOTHERM 60 DOOR FRAME SOLID DOOR 31 dB GLAZED DOOR 31 dB
	DOOR SIZES	80 · 90N · 90E · 100E*	
	DESIGN LINES	CROSS LINE · AIR GLASS · QUADRO · ELITE 3D · TEMPO	
	LEAF STRUCTURE	WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE	
	DOOR TO SIZE	DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm	

ALUTHERM 60 DOOR FRAME*
SOLID DOOR / GLAZED DOOR


$U_D = 0,86 / 0,95 \text{ W/m}^2\text{K}$

DUOTHERM 60 DOOR FRAME
SOLID DOOR / GLAZED DOOR

$U_D = 0,94 / 1,1 \text{ W/m}^2\text{K}$

RC2 / RC3**


SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)



You can choose NEW long door plate PRAGA or BERGEN




Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Hinges adjustable in three planes with caps matching hardware's colour




Adjustable pawl hitch



DUOTHERM 60 door frame



Auxiliary 3-bolt lock




Main 3-bolt lock



Mortise lock 3-point 2-hook



Mortise lock 3-point automatic



Lower upstand brush seal




Fixed anti-prizing bolts




Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes*



ALUTHERM 60* door frame



DUOTHERM 60 door frame



Composite connector of threshold with windstopper



4 sides rebated



tedee PRO + bridge set*

* EXTRA CHARGE

** FOR SOLID DOORS ONLY, EXTRA CHARGE



 **OPTIMA 60**

UD	THERMAL INSULATION U _D VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 60 DOOR FRAME* SOLID DOOR 1,0 W/m ² K GLAZED DOOR 1,2 W/m ² K	PERFOTHERM 60 DOOR FRAME SOLID DOOR 1,1 W/m ² K GLAZED DOOR 1,3 W/m ² K
RC	RESISTANCE CLASS	RC2 / RC3**	
	LEAF THICKNESS	60 mm	
	SOUND INSULATION COEFFICIENT R _w	ALUTHERM 60 DOOR FRAME* SOLID DOOR 36 dB GLAZED DOOR 30 dB	PERFOTHERM 60 DOOR FRAME SOLID DOOR 36 dB GLAZED DOOR 30 dB
	DOOR SIZES	80N · 80 · 90N · 90E · 100E*	
	DESIGN LINES	CROSS LINE · TEMPO · CLASSIC	
	LEAF STRUCTURE	WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE	
	CUSTOM HEIGHT	UP TO 2200 mm	

ALUTHERM 60 DOOR FRAME*
SOLID DOOR / GLAZED DOOR


PERFOTHERM 60 DOOR FRAME
SOLID DOOR / GLAZED DOOR

$U_D = 1,0 / 1,2 \text{ W/m}^2\text{K}$

$U_D = 1,1 / 1,3 \text{ W/m}^2\text{K}$

RC2 / RC3**


SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)




You can choose NEW long door plate PRAGA or BERGEN



Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Hinges adjustable in two planes with caps matching hardware's colour




3D hinges with caps matching hardware's colour*




PERFOTHERM 60 door frame



Vertical bolt*




Auxiliary 3-bolt lock




Main 3-bolt lock




Auxiliary 2-bolt lock*



ALUTHERM 60* door frame



PERFOTHERM 60 door frame




3 sides rebated



Adjustable pawl hitch



Fixed anti-prizing bolts



Warm aluminium with subthreshold extension, h=35 mm
PERFOTHERM 60 option*
ALUTHERM 60 standard



GERDA RESIST ULTRA insulation duo tapes*



tedee PRO + bridge set*

* EXTRA CHARGE

** FOR SOLID DOORS ONLY, EXTRA CHARGE

CROSS LINE



VIDAR 1

PAGES 28-29



VIDAR 2

PAGES 28-29



VIDAR 3

PAGES 28-29



FARGO 1


PAGES 30-31



FARGO 3

PAGES 30-31

CROSS LINE
DUO



VIDAR 2 B + T03

PAGES 32-33

AIR GLASS



BADEN 1

PAGES 34-35



BADEN 2

PAGES 34-35



AROSA 1

PAGES 34-35



AROSA 2

PAGES 34-35



LINZ 1

PAGES 36-37



LINZ 2

PAGES 36-37



LINZ 3 B

PAGES 36-37

AIR GLASS



GRAZ 1

PAGES 38-39



GRAZ 2

PAGES 38-39



GRAZ 3 B

PAGES 38-39



SALZBURG

PAGES 40-41



SALZBURG

PAGES 40-41



VILLACH B

PAGES 40-41



VILLACH

PAGES 40-41

AIR GLASS
DUO




BADEN 1 + A03

PAGES 42-43



BADEN 2 + A03

PAGES 42-43




AROSA 2 + A04

PAGES 42-43



GRAZ 2 + A02

PAGES 42-43



LINZ 3 B + A01 B

PAGES 42-43

QUADRO



LUCERNA B

PAGES 44-45



LOZANNA

PAGES 44-45



THUN

PAGES 44-45



THUN 2

PAGES 44-45



SION

PAGES 44-45



HAMBURG

PAGES 44-45



LOCARNO

PAGES 46-47

QUADRO



ONEX

PAGES 46-47



PASAWA 1

PAGES 48-49



PASAWA 3

PAGES 48-49



PASAWA 4

PAGES 48-49



JENA 3

PAGES 50-51



JENA 4

PAGES 50-51



JENA 5

PAGES 50-51

QUADRO



BAMBERG 1

PAGES 52-53



BAMBERG 2

PAGES 52-53



BAMBERG 3

PAGES 52-53



BAMBERG 4

PAGES 52-53



ULM 1

PAGES 54-55



ULM 2

PAGES 54-55



TREWIR 1

PAGES 56-57

QUADRO



TREWIR 2

PAGES 56-57



TREWIR 3

PAGES 56-57



TREWIR 4

PAGES 56-57



KRONACH 1

PAGES 58-59



KRONACH 2 B

PAGES 58-59



KRONACH 4

PAGES 58-59



REGEN 1

PAGES 60-61

QUADRO



REGEN 2

PAGES 60-61



REGEN 4

PAGES 60-61



REGEN 5

PAGES 60-61



DREZNO 1

PAGES 62-63



DREZNO 4

PAGES 62-63



ERFURT 1 B

PAGES 62-63



ERFURT 2

PAGES 62-63

QUADRO
DUO



TREWIR 1 B + Q05 B

PAGES 64-69



JENA 3 + Q02

PAGES 64-69



REGEN 5 + Q08

PAGES 64-69



KRONACH 4 + Q12

PAGES 64-69



PASAWA 3 + Q11

PAGES 64-69

TEMPO



MILANO 8

PAGES 74-75



MILANO 9

PAGES 74-75



MILANO 10

PAGES 74-75



MILANO 11

PAGES 74-75



MILANO 12 B

PAGES 74-75



HANOVER 5

PAGES 76-77



HANOVER 6

PAGES 76-77

TEMPO



INNSBRUCK

PAGES 76-77



PLAIN

PAGES 78-79



MILANO 4

PAGES 80-81



MILANO 4 A

PAGES 80-81



MILANO 4 B

PAGES 80-81



TURYN 1

PAGES 82-83



TURYN 1 B

PAGES 82-83

TEMPO



BERGAMO 2

PAGES 84-85



NICEA 9

PAGES 84-85



UPPSALA 1

PAGES 86-87



UPPSALA 1

PAGES 86-87



UPPSALA 1A

PAGES 86-87



TOKIO 1

PAGES 88-89



TOKIO 1A

PAGES 88-89

TEMPO



TOKIO 2

PAGES 88-89



TOKIO 2 A

PAGES 88-89



ASPEN 1

PAGES 88-89



ASPEN 2 B

PAGES 88-89



TROMSO

PAGES 90-91



TROMSO 1

PAGES 90-91



TROMSO 2

PAGES 90-91

TEMPO DUO



MILANO 11 B + T01 B

PAGES 92-95



MILANO 8 + T02

PAGES 92-95



HANOVER 5 B + T03 B

PAGES 92-95



HANOVER 6 + T04

PAGES 92-95



BAMBERG 2 B + T05

PAGES 92-95

ELITE 3D



DAVOS



BRIG



OLTEN



VISP



TRIN



BERNO

ELITE 3D DUO



DAVOS + E01



BRIG + E02



OLTEN + E03



VISP + E04



TRIN + E05

CLASSIC



MODENA



MODENA 2



RAVENA



RAVENA



WERONA



WERONA 1



WERONA 3

CLASSIC



WERONA 4



WERONA 5



LIZBONA



WENECJA



LONDYN



LONDYN 1



BARCELONA

CLASSIC



BARCELONA 1



GENEWA 1



GENEWA 2



GENEWA 3

**DEEP
EMBOSSED
DESIGNS**



LONDYN



WERONA



CLA B VIDAR 1 B



CLB VIDAR 2


STANDARD DOOR DIMENSIONS			
DOOR WIDTH	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087 mm		

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
CLA VIDAR 1 • CLA B VIDAR 1 B	✓	✓	✓	✓
CLB VIDAR 2 • CLB B VIDAR 2 B	✓	✓	✓	✓
CLC VIDAR 3 • CLC B VIDAR 3 B	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
GLAZED DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	✗
MORTISE LOCK	✗	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL***	1500 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE		1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm
TWO-COLOURED DOOR, GALA PALETTE		1800 mm
HIGHER DOOR, EVERY 50 mm ONLY FOR VIDAR 2 ONLY WITH ALUTHERM DOOR FRAME WIDTH UP TO 1130 mm	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA HIGHT UP TO 2400 mm	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm
PERFOTHERM XL, DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	INOX
N 3D HINGE OPTIMA	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK
MAGNETIC REED SWITCH	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge
SIZE 100E	SET tedee PRO	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	N KEYPAD tedee	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	N DOOR OPENING SENSOR tedee	
24V SMPS		
WARM INSTALLATION TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING VIDAR 2 (10, 20, 30, 40 mm)		



* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





CLC B VIDAR 3 B



CLA VIDAR 1




CLB VIDAR 2




CLB B VIDAR 2 B INTERNAL SIDE

GLASS FRAMES BOTH SIDES

FRAME XN INOX



FRAME XB BLACK RAL 9005



HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE




BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 106-109



RAL COLOUR PALETTE
EXTRA CHARGE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PRIME



BERGEN



PRAGA

THERMO PREMIUM • OPTIMA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA



BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL

AMSTERDAM • MONACO

ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117



CLD FARGO 1



CLE FARGO 2

STANDARD DOOR DIMENSIONS

DOOR WIDTH	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087 mm		

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
CLD FARGO 1 • CLD B FARGO 1 B	✓	✓	✓	✓
CLE FARGO 2 • CLE B FARGO 2 B	✓	✓	✓	✓
CLF FARGO 3 • CLF B FARGO 3 B	✓	✓	✓	✓


STANDARD RC2 EQUIPMENT

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
SOLID DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	×
MORTISE LOCK	×	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS


POWDER COATED DOOR, GALA COLOUR PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL**	1500 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE		1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON***	1800 mm
TWO-COLOURED DOOR, GALA PALETTE		1800 mm
HIGHER DOOR, EVERY 50 mm ONLY FOR FARGO 2	N MONACO HANDRAIL WITH PUSHBUTTON***	1500 mm
ONLY WITH ALUTHERM DOOR FRAME WIDTH UP TO 1130 mm		1800 mm
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKf, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****	1500 mm
HIGHT UP TO 2400 mm		1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH INSERT AND PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005****	1500 mm
PERFOTHERM XL, DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA		1800 mm
RC3 PACKAGE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT,****	INOX
TWO-COLOUR DOOR, TERRA COLOUR PALETTE		RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT****	INOX
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE		RAL 9005 BLACK
N 3D HINGE OPTIMA		
MAGNETIC REED SWITCH SIZE 100E		no extra charge
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	SET tedee PRO	
24V SMPS		
INSULATION DUO TAPES	N KEYPAD tedee	
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING FARGO 2 (10, 20, 30, 40 mm)	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** ELECTRIC STRIKE RECOMMENDED
 *** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED






CLF FARGO 3



CLF FARGO 3



CLE FARGO 2



CLE FARGO 2 INTERNAL SIDE


	STANDARD HARDWARE RC2	EXTRA CHARGE HARDWARE
THERMO PRIME	HANDLE-HANDLE 	HANDLE-HANDLE
		KNOB-HANDLE
THERMO PREMIUM • OPTIMA		
		HANDRAIL-HANDLE

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm


MONTREAL
AMSTERDAM • MONACO
ROSTOCK


FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS







T01



T03



T05



STANDARD DOOR DIMENSIONS

WORKING DOOR LEAF WIDTH	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH	300 mm	400 mm	500 mm
DOOR HEIGHT	2087-2400 mm		

	30	40	50
T01 • T01 B	✓	✓	✓
T03 • T03 B	✗	✓	✓
T05	✓	✓	✓

		THERMO PREMIUM 75 DUO
T01 • T03	VIDAR 1 • VIDAR 2 • VIDAR 3	✓
T05	VIDAR 1 • VIDAR 2 • VIDAR 3	✓
T05	FARGO 1 • FARGO 2 • FARGO 3	✓

STANDARD RC2 EQUIPMENT**


	THERMO PREMIUM 75 DUO
DOOR WITH HIGH THERMAL INSULATION FACTOR	•
DESIGN	ONE-SIDED
SIDES WITH SEAL	4
DOOR FRAME	ALUTHERM 75
HINGES WITH CAPS	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE	LONG PLATE PRAGA OR BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 2000
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME	•
LOCK CYLINDERS	GERDA EVO, CLASS 5
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO – HANDRAIL***	1500 mm	
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm	
POWDER COATED DOOR, INTERGALACTICA PALETTE	MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm	
DOUBLE-SIDED POWDER COATED DOOR, GALA COLOUR PALETTE	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	1500 mm	
DOOR TO SIZE ACCORDING TO WORKING DOOR LEAF	WIDTH UP TO 1130 mm	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm
	HIGHT UP TO 2400 mm	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX	
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	RAL 9005	
MAGNETIC REED SWITCH	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	INOX	
SIZE 100E		RAL 9005	
INTEGRATED CLOSER		BLACK	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS		no extra charge
24V SMPS		SET tedee PRO	
INSULATION DUO TAPES		KEYPAD tedee	
SUBTHRESHOLD EXTENSION H=70-250 mm		DOOR OPENING SENSOR tedee	
DOOR SHORTENING ACCORDING TO WORKING DOOR LEAF			

* EXTRA CHARGE
 **RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** NIEZBĘDNY ELEKTROZACZEP ORAZ DOSTOSOWANIE DRZWI DO POCZYTYU Z PRZYCSKIEM, ZALECANY ZAKUP ZASILACZA
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





VIDAR 2 + T01



VIDAR 2 B + T03



VIDAR 2 + T05



FARGO 2 + T05

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA


THERMO PREMIUM



PRAGA

EXTRA CHARGE HARDWARE

HANDRAIL-HANDLE



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

GLASS FRAMES BOTH SIDES

FRAME XN INOX




FRAME XB BLACK RAL 9005



HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 108-109



RAL COLOUR PALETTE EXTRA CHARGE



AGK BADEN 1




AGL BADEN 2



GLASS

AIR GLASS



STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM · ALUTHERM)	2076 mm · 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGK BADEN 1	✓	✓	✓
AGL BADEN 2	✓	✓	✓
AGM AROSA 1	✓	✓	✓
AGN AROSA 2	✓	✓	✓

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	×
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM · MONTREAL · MONACO HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA · GALA OPEN PALETTE	AMSTERDAM · MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
TWO-COLOURED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm 1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL ONLY FOR BADEN 2 AND AROSA 2	1500 mm 1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ONLY FOR BADEN 2 AND AROSA 2	1500 mm 1800 mm
MAGNETIC REED SWITCH	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
SIZE 100E	SET tedee PRO	
INTEGRATED CLOSER	N KEYPAD tedee	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	N DOOR OPENING SENSOR tedee	
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS FRAMES INTERNAL SIDE





AGM AROSA 1



AGM AROSA 1
INTERNAL SIDE, MODERN FRAME



AGN AROSA 2



AGN AROSA 2
INTERNAL SIDE, MODERN FRAME

	STANDARD HARDWARE RC2	EXTRA CHARGE HARDWARE
THERMO PRIME	HANDLE-HANDLE 	HANDLE-HANDLE
		KNOB-HANDLE
THERMO PREMIUM		
		HANDRAIL-HANDLE


PRAGA
BERGEN
PRAGA
BERGEN
PRAGA
BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm


MONTREAL
AMSTERDAM · MONACO
ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS





AGB LINZ 1



AGC LINZ 2



STANDARD DOOR DIMENSIONS

DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGB LINZ 1 • AGBB LINZ 1 B	✓	✓	✓
AGC LINZ 2 • AGCB LINZ 2 B	✓	✓	✓
AGD LINZ 3 • AGDB LINZ 3 B	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		


EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
TWO-COLOURED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm 1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL ONLY FOR LINZ 2	1500 mm 1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA H ANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ONLY FOR LINZ 2	1500 mm 1800 mm
MAGNETIC REED SWITCH	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
SIZE 100E	SET tedee PRO	
INTEGRATED CLOSER	N KEYPAD tedee	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	N DOOR OPENING SENSOR tedee	
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS

AIR GLASS



QUADRO INSERT COLOURS

INOX



BLACK RAL 9005



GLASS FRAMES INTERNAL SIDE


MODERN FRAME IN DOOR LEAF COLOUR



FRAME XN INOX



FRAME XB RAL 9005





AGD LINZ 3



AGD LINZ 3
INTERNAL SIDE, MODERN FRAME



AGDB LINZ 3 B



AGDB LINZ 3 B
INTERNAL SIDE, MODERN FRAME

STANDARD HARDWARE RC2		EXTRA CHARGE HARDWARE	
THERMO PRIME	HANDLE-HANDLE		PRAGA
			PRAGA
THERMO PREMIUM			PRAGA
			PRAGA
BERGEN			BERGEN
			BERGEN
BERGEN			BERGEN
			BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM • MONACO
ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD
COLOUR PALETTE
TERRA
PAGES 106-109



RAL
COLOUR
PALETTE
EXTRA CHARGE



AGE GRAZ 1



AGF GRAZ 2



STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGE GRAZ 1 • AGEB GRAZ 1 B	✓	✓	✓
AGF GRAZ 2 • AGFB GRAZ 2 B	✓	✓	✓
AGG GRAZ 3 • AGGB GRAZ 3 B	✓	✓	✓

STANDARD RC2 EQUIPMENT**			
	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
TWO-COLOURED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm 1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL ONLY FOR GRAZ 2	1500 mm 1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ONLY FOR GRAZ 2	1500 mm 1800 mm
MAGNETIC REED SWITCH	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
SIZE 100E	SET tedee PRO	
INTEGRATED CLOSER	N KEYPAD tedee	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	N DOOR OPENING SENSOR tedee	
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS

AIR GLASS



QUADRO INSERT COLOURS

INOX




BLACK RAL 9005



GLASS FRAMES INTERNAL SIDE

MODERN FRAME
IN DOOR LEAF COLOUR



FRAME XN INOX



FRAME XB RAL 9005





AGGB GRAZ 3 B



AGGB GRAZ 3 B
INTERNAL SIDE, MODERN FRAME



AGF GRAZ 2




AGF GRAZ 2
INTERNAL SIDE, MODERN FRAME


STANDARD HARDWARE RC2		EXTRA CHARGE HARDWARE	
THERMO PRIME	HANDLE-HANDLE 	HANDLE-HANDLE 	PRAGA
		KNOB-HANDLE 	PRAGA
THERMO PREMIUM			BERGEN
			BERGEN
		HANDRAIL-HANDLE 	
		1000 mm 1500 mm 1700 mm 1800 mm 2000 mm	
		MONTREAL AMSTERDAM • MONACO ROSTOCK	

FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS





AGA SALZBURG



AGHB VILLACH B



STANDARD DOOR DIMENSIONS				
DOOR WIDTH SALZBURG	80	90N	90E	100E*
DOOR WIDTH VILLACH	x	x	90E	100E*
DOOR HEIGHT SALZBURG (DUOTHERM · ALUTHERM)	2076 mm · 2087 mm			
DOOR HEIGHT VILLACH (DUOTHERM · ALUTHERM)	2076 mm · 2087-2400 mm			


	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGA SALZBURG · AGAB SALZBURG B	✓	✓	✓
AGH VILLACH · AGHB VILLACH B	✓	✓	✓

STANDARD RC2 EQUIPMENT**			
	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS			
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM · MONTREAL · MONACO	1500 mm	
POWDER COATED DOOR, GALACTICA · GALA OPEN PALETTE	HANDRAIL***	1800 mm	
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM · MONTREAL	1500 mm	
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm	
HIGHER DOOR, EVERY 50 mm ONLY FOR VILLACH ONLY WITH ALUTHERM DOOR FRAME	MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm	
ALUTHERM DOOR FRAME THERMO PREMIUM	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm	
DUOTHERM XL DOOR FRAME THERMO PREMIUM	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE			
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE			
MAGNETIC REED SWITCH			
SIZE 100E			
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME			
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE			
24V SMPS			
INSULATION DUO TAPES			
SUBTHRESHOLD EXTENSION H=70-250 mm			
	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS		no extra charge
	SET tedee PRO		
	KEYPAD tedee		
	DOOR OPENING SENSOR tedee		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS QUADRO INSERT COLOURS GLASS FRAMES INTERNAL SIDE





AGA SALZBURG



AGA SALZBURG
INTERNAL SIDE, MODERN FRAME



AGH VILLACH




AGH VILLACH
INTERNAL SIDE, MODERN FRAME


STANDARD HARDWARE RC2		EXTRA CHARGE HARDWARE	
THERMO PRIME	HANDLE-HANDLE 	HANDLE-HANDLE 	PRAGA
		KNOB-HANDLE 	PRAGA
THERMO PREMIUM			BERGEN
			BERGEN
		HANDRAIL-HANDLE 	BERGEN
		1000 mm 1500 mm 1700 mm 1800 mm 2000 mm MONTREAL AMSTERDAM • MONACO ROSTOCK	


FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS




DOOR COLOURS






A01

A02



A03

A04



GLASS

AIR GLASS



QUADRO INSERT COLOURS

INOX




BLACK RAL 9005



GLASS FRAMES INTERNAL SIDE


MODERN FRAME
IN DOOR LEAF COLOUR



FRAME XN INOX



FRAME XB RAL 9005



STANDARD DOOR DIMENSIONS

WORKING DOOR LEAF WIDTH	80	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH		300 mm	400 mm	500 mm
DOOR HEIGHT	2087-2400 mm			

	30	40	50
A01 • A01 B	x	✓	✓
A02 • A02 B	✓	✓	✓
A03	x	x	✓
A04	x	✓	✓

			THERMO PREMIUM 75 DUO
A01 • A02	LINZ 1 • LINZ 2 • GRAZ 1 • GRAZ 2		✓
A01 • A02	LINZ 3 • GRAZ 3		✓
A01 • A02	SALZBURG • VILLACH		✓
A03 • A04	BADEN 1 • BADEN 2 • AROSA 1 • AROSA 2		✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 75 DUO
DOOR WITH HIGH THERMAL INSULATION FACTOR	•
DESIGN	ONE-SIDED
SIDES WITH SEAL	4
DOOR FRAME	ALUTHERM 75
HINGES WITH CAPS	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE	LONG PLATE PRAGA OR BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 2000
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME	•
LOCK CYLINDERS	GERDA EVO, CLASS 5
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO – HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
DOUBLE-SIDED POWDER COATED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
TWO-COLOUR DOOR, TERRA PALETTE	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm 1800 mm
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
MAGNETIC REED SWITCH	S INTEGRA HANDRAIL ACCORDING TO WORKING LEAF	1500 mm 1800 mm
SIZE 100E	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ACCORDING TO WORKING LEAF	1500 mm 1800 mm
INTEGRATED CLOSER	SET tedee PRO	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	N KEYPAD tedee	
24V SMPS	N DOOR OPENING SENSOR tedee	
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		


* EXTRA CHARGE

** RC2N FOR GLAZED DOORS

*** ELECTRIC STRIKE RECOMMENDED

**** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



LINZ 3 B + A01 B



GRAZ 2 + A02



BADEN 1 + A03



AROSA 2 + A04

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PREMIUM



PRAGA

EXTRA CHARGE HARDWARE

HANDRAIL-HANDLE




1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE




INOX



ONLY FOR HANDRAILS

DOOR COLOURS



**STANDARD
COLOUR PALETTE
TERRA**
PAGES 106-109



**RAL
COLOUR
PALETTE**
EXTRA CHARGE



KP1 LUCERNA



KP2B LOZANNA B




QUADRO INSERT COLOURS

INOX



BLACK RAL 9005



STANDARD DOOR DIMENSIONS

DOOR WIDTH LOZANNA, THUN, SION	80	90N	90E	100E*
DOOR WIDTH LUCERNA	X	90N	90E	100E*
DOOR HEIGHT (DUOTHERM · ALUTHERM)	2076 mm · 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KP1 LUCERNA · KP1B LUCERNA B	✓	✓	✓
KP2 LOZANNA · KP2B LOZANNA B	✓	✓	✓
KP3 THUN · KP3B THUN B	✓	✓	✓
KP6 THUN 2 · KP6B THUN 2 B	✓	✓	✓
KP4 SION · KP4B SION B	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	X
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM · MONTREAL · MONACO HANDRAIL**	1500 mm
POWDER COATED DOOR, GALACTICA · GALA OPEN PALETTE		1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM · MONTREAL HANDRAIL WITH PUSHBUTTON***	1500 mm
TWO-COLOURED DOOR, GALA PALETTE		1800 mm
HIGHER DOOR, EVERY 50 mm ONLY FOR FARGO 2 ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	MONACO HANDRAIL WITH PUSHBUTTON***	1500 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****	1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005****	1500 mm
RC3 PACKAGE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT****	1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE		
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE		
MAGNETIC REED SWITCH		
SIZE 100E	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge
QUADRO INSERT ON THE OTHER SIDE		
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	SET tedee PRO	
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm	KEYPAD tedee	
DOOR SHORTENING THUN, THUN 2, SION (10, 20, 30, 40 mm)	DOOR OPENING SENSOR tedee	

* EXTRA CHARGE

** ELECTRIC STRIKE RECOMMENDED

*** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

**** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED




KP3 THUN



KP6 THUN 2



KP4 SION



INTERNAL SIDE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

HANDRAIL-HANDLE




1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD
COLOUR PALETTE
TERRA
PAGES 106-109



RAL
COLOUR
PALETTE
EXTRA CHARGE



KVB HAMBURG



KW9 LOCARNO




STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM · ALUTHERM)	2076 mm · 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KVB HAMBURG · KVBB HAMBURG B	✓	✓	✓
KW9 LOCARNO · KW9B LOCARNO B	✓	✓	✓
KVA ONEX · KVAB ONEX B	✓	✓	✓

STANDARD RC2 EQUIPMENT**			
	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	X
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS			
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM · MONTREAL · MONACO	1500 mm	
POWDER COATED DOOR, GALACTICA · GALA OPEN PALETTE	HANDRAIL***	1800 mm	
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM · MONTREAL	1500 mm	
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm	
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME	MONACO	1500 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	HANDRAIL WITH PUSHBUTTON****	1800 mm	
ALUTHERM DOOR FRAME THERMO PREMIUM	MONACO	1500 mm	
DUOTHERM XL DOOR FRAME THERMO PREMIUM	HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm	
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	MONACO	1500 mm	
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm	
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	ROSTOCK	INOX	
MAGNETIC REED SWITCH	HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK	
SIZE 100E	ROSTOCK	INOX	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge	
24V SMPS	SET tedee PRO		
INSULATION DUO TAPES	N KEYPAD tedee		
SUBTHRESHOLD EXTENSION H=70-250 mm	N DOOR OPENING SENSOR tedee		
DOOR SHORTENING (10, 20, 30, 40 mm)			

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED





KW9B LOCARNO B



KVA ONEX



KVAB ONEX B



INTERNAL SIDE, MODERN FRAME

STANDARD HARDWARE RC2

HANDLE-HANDLE

THERMO PRIME

PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE

PRAGA

KNOB-HANDLE

PRAGA

BERGEN

HANDRAIL-HANDLE

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL

AMSTERDAM · MONACO

ROSTOCK

BERGEN

QUADRO INSERT COLOURS




GLASS FRAMES INTERNAL SIDE



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



ONLY FOR HANDRAILS

DOOR COLOURS





KWA PASAWA 1



KWB PASAWA 2



STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWA PASAWA 1 • KWAB PASAWA 1 B	✓	✓	✓
KWB PASAWA 2 • KWBB PASAWA 2 B	✓	✓	✓
KWC PASAWA 3 • KWCB PASAWA 3 B	✓	✓	✓
KWD PASAWA 4 • KWDB PASAWA 4 B	✓	✓	✓

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS			
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO	1500 mm	
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	HANDRAIL***	1800 mm	
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL	1500 mm	
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm	
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME	MONACO	1500 mm	
WIDTH UP TO 1130 mm	HANDRAIL WITH PUSHBUTTON****	1800 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKf, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	MONACO	1500 mm	
HIGHT UP TO 2400 mm	HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm	
ALUTHERM DOOR FRAME THERMO PREMIUM	MONACO	1500 mm	
DUOTHERM XL DOOR FRAME THERMO PREMIUM	HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm	
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	ROSTOCK	INOX	
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK	
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	ROSTOCK	INOX	
MAGNETIC REED SWITCH	HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK	
SIZE 100E	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS		no extra charge
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME			
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	SET tedee PRO		
24V SMPs	KEYPAD tedee		
INSULATION DUO TAPES			
SUBTHRESHOLD EXTENSION H=70-250 mm	DOOR OPENING SENSOR tedee		
DOOR SHORTENING PASAWA 1, PASAWA 2, PASAWA 3 (10, 20, 30, 40 mm) PASAWA 4 (10, 20, 30, 40, 60, 80, 100 mm)			

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





KWCB PASAWA 3 B



KWC PASAWA 3



KWD PASAWA 4




INTERNAL SIDE, MODERN FRAME

STANDARD HARDWARE RC2



EXTRA CHARGE HARDWARE




QUADRO INSERT COLOURS



GLASS FRAMES INTERNAL SIDE



HARDWARE COLOURS



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

DOOR COLOURS






KW5 JENA 5



KW4 JENA 4



STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KW3 JENA 3	✓	✓	✓
KW4 JENA 4	✓	✓	✓
KW5 JENA 5	✓	✓	✓

STANDARD RC2 EQUIPMENT**			
	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS			
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO	1500 mm	
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	HANDRAIL***	1800 mm	
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL	1500 mm	
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm	
DOOR TO SIZE, EVERY 10 mm ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	MONACO	1500 mm	
	HANDRAIL WITH PUSHBUTTON****	1800 mm	
ALUTHERM DOOR FRAME THERMO PREMIUM	MONACO	1500 mm	
	HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm	
DUOTHERM XL DOOR FRAME THERMO PREMIUM	MONACO	1500 mm	
	HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm	
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	ROSTOCK	INOX	
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK	
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	ROSTOCK	INOX	
MAGNETIC REED SWITCH	HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK	
SIZE 100E	INTEGRA	1500 mm	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	HANDRAIL ONLY FOR JENA 3, JENA 4	1800 mm	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	INTEGRA	1500 mm	
24V SMPS	HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm	
INSULATION DUO TAPES	ONLY FOR JENA 3, JENA 4		
SUBTHRESHOLD EXTENSION H=70-250 mm	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS		no extra charge
DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	SET tedee PRO		
	KEYPAD tedee		
	DOOR OPENING SENSOR tedee		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





KW3 JENA 3



KW3 JENA 3
INTERNAL SIDE, MODERN FRAME



KW4 JENA 4



KW4 JENA 4
INTERNAL SIDE, XN FRAME

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



GLASS FRAMES INTERNAL SIDE

MODERN FRAME IN DOOR LEAF COLOUR



FRAME XN INOX




RAMKA XB BLACK RAL 9005



HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

DOOR COLOURS



STANDARD
COLOUR PALETTE
TERRA
PAGES 108-109



RAL
COLOUR
PALETTE
EXTRA CHARGE



KWF BAMBERG 1



KWG BAMBERG 2



STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWF BAMBERG 1 • KWFB BAMBERG 1 B	✓	✓	✓
KWG BAMBERG 2 • KWGB BAMBERG 2 B	✓	✓	✓
KWH BAMBERG 3 • KWHB BAMBERG 3 B	✓	✓	✓
KWI BAMBERG 4 • KWIB BAMBERG 4 B	✓	✓	✓

STANDARD RC2 EQUIPMENT**			
	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS			
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO	1500 mm	
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	HANDRAIL***	1800 mm	
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL	1500 mm	
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm	
HIGHER DOOR, EVERY 50 mm	MONACO	1500 mm	
ONLY WITH ALUTHERM DOOR FRAME	HANDRAIL WITH PUSHBUTTON****	1800 mm	
AVAILABLE COLOURS: TERRA	MONACO	1500 mm	
(FRP, FDE, FDW, FDT, FKG, FKF, FSB),	HANDRAIL WITH PUSHBUTTON	1800 mm	
GALA, GALA OPEN, GALACTICA,	AND LED BACKLIGHT*****	1800 mm	
INTERGALACTICA	MONACO	1500 mm	
ALUTHERM DOOR FRAME	HANDRAIL WITH INSERT, PUSHBUTTON	1500 mm	
THERMO PREMIUM	AND LED BACKLIGHT,	1800 mm	
DUOTHERM XL DOOR FRAME	BLACK RAL 9005*****		
THERMO PREMIUM	ROSTOCK HANDRAIL	INOX	
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	LENGTH 2000 mm		
GERDA VITA LOCK CYLINDER	WITH PUSHBUTTON	RAL 9005	
CLASS 6, KEYED LIKE	AND LED BACKLIGHT*****	BLACK	
GERDA EXXO LOCK CYLINDER	ROSTOCK HANDRAIL	INOX	
CLASS 6, KEYED LIKE	LENGTH 2000 mm		
MAGNETIC REED SWITCH	WITH INSERT, WITH PUSHBUTTON	RAL 9005	
SIZE 100E	AND LED BACKLIGHT*****	BLACK	
INTEGRATED CLOSER	INTEGRA	1500 mm	
THERMO PREMIUM, THERMO PRIME	HANDRAIL	1800 mm	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	ONLY FOR BAMBERG 1, BAMBERG 2		
24V SMPS	INTEGRA	1500 mm	
INSULATION DUO TAPES	HANDRAIL WITH PUSHBUTTON	1800 mm	
SUBTHRESHOLD EXTENSION	AND LED BACKLIGHT*****		
H=70-250 mm	ONLY FOR BAMBERG 1, BAMBERG 2		
DOOR SHORTENING	RING ESCUTCHEON FOR DOOR		
(10, 20, 30, 40 mm)	WITH HANDRAIL AND MORTISE LOCK		
	NOT AVAILABLE FOR INWARD OPENING DOORS		no extra charge
	SET tedee PRO		
	KEYPAD tedee		
	DOOR OPENING SENSOR tedee		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





KWH BAMBERG 3



KWI BAMBERG 4



KWF BAMBERG 1



INTERNAL SIDE, MODERN FRAME

STANDARD HARDWARE RC2

HANDLE-HANDLE




EXTRA CHARGE HARDWARE

HANDLE-HANDLE



HANDRAIL-HANDLE



QUADRO INSERT COLOURS




GLASS FRAMES INTERNAL SIDE



FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS



ONLY FOR HANDRAILS



KWJB ULM 1 B



KWK ULM 2

STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWJ ULM 1 • KWJB ULM 1 B	✓	✓	✗
KWK ULM 2 • KWKB ULM 2 B	✓	✓	✓

STANDARD RC2 EQUIPMENT**			
	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO	1500 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	HANDRAIL***	1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL	1500 mm
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
WIDTH UP TO 1130 mm	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
HIGHT UP TO 2400 mm	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm 1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
DUOTHERM XL DOOR FRAME THERMO PREMIUM	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SET tedee PRO	
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	N KEYPAD tedee	
MAGNETIC REED SWITCH	N DOOR OPENING SENSOR tedee	
SIZE 100E		
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



GLASS





KWJ ULM 1



KWJ ULM 1
INTERNAL SIDE, MODERN FRAME



KWK ULM 2



KWK ULM 2
INTERNAL SIDE, MODERN FRAME


QUADRO INSERT COLOURS



GLASS FRAMES INTERNAL SIDE




HARDWARE COLOURS



ONLY FOR HANDRAILS

STANDARD HARDWARE RC2



EXTRA CHARGE HARDWARE



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

DOOR COLOURS





KWL TREWIR 1



KWMB TREWIR 2 B



STANDARD DOOR DIMENSIONS				
DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWL TREWIR 1 • KWLB TREWIR 1 B	✓	✓	✓
KWM TREWIR 2 • KWMB TREWIR 2 B	✓	✓	✓
KWN TREWIR 3 • KWNB TREWIR 3 B	✓	✓	✓
KWP TREWIR 4 • KWPB TREWIR 4 B	✓	✓	✓
KW7 TREWIR 7 • KW7B TREWIR 7 B	✓	✓	✓

STANDARD RC2 EQUIPMENT**	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	×
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL	1500 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm
TWO-COLOURED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	WIDTH UP TO 1130 mm HIGHT UP TO 2400 mm	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****
ALUTHERM DOOR FRAME THERMO PREMIUM	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
DUOTHERM XL DOOR FRAME THERMO PREMIUM	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	S INTEGRA HANDRAIL ONLY FOR TREWIR 1, TREWIR 2	1500 mm 1800 mm
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ONLY FOR TREWIR 1, TREWIR 2	1500 mm 1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
MAGNETIC REED SWITCH	SET tedee PRO	
SIZE 100E	N KEYPAD tedee	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	N DOOR OPENING SENSOR tedee	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING (10, 20, 30, 40 mm)		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





KWN TREWIR 3



KWP TREWIR 4



KW7 TREWIR 7




KWL TREWIR 1
INTERNAL SIDE, MODERN FRAME


QUADRO INSERT COLOURS



GLASS FRAMES INTERNAL SIDE



HARDWARE COLOURS



ONLY FOR HANDRAILS

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

DOOR COLOURS





KPN KRONACH 1



KPPB KRONACH 2 B



QUADRO INSERT COLOURS

INOX



BLACK RAL 9005



STANDARD DOOR DIMENSIONS

DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KPN KRONACH 1 • KPNB KRONACH 1 B	✓	✓	✓
KPP KRONACH 2 • KPPB KRONACH 2 B	✓	✓	✓
KPT KRONACH 3 • KPTB KRONACH 3 B	✓	✓	✗
KPZ KRONACH 4 • KPZB KRONACH 4 B	✓	✓	✗

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL**	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
TWO-COLOURED DOOR, GALA PALETTE	MONACO HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKf, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	WIDTH UP TO 1130 mm HIGHT UP TO 2400 mm	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****
ALUTHERM DOOR FRAME THERMO PREMIUM	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005****	1500 mm 1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
RC3 PACKAGE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SET tedee PRO	
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	KEYPAD tedee	
MAGNETIC REED SWITCH	DOOR OPENING SENSOR tedee	
SIZE 100E		
QUADRO INSERT AND APPLICATION ON THE OTHER SIDE		
QUADRO INSERT ON THE OTHER SIDE		
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING (10, 20, 30, 40 mm)		

* EXTRA CHARGE

** ELECTRIC STRIKE RECOMMENDED

*** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

**** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



KPT KRONACH 3



KPZ KRONACH 4



KPN KRONACH 1



INTERNAL SIDE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD
COLOUR PALETTE
TERRA
PAGES 106-109



RAL
COLOUR
PALETTE
EXTRA CHARGE



KPJ REGEN 1



KPK REGEN 2



QUADRO INSERT COLOURS

INOX



BLACK RAL 9005



STANDARD DOOR DIMENSIONS

DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KPJ REGEN 1 • KPJB REGEN 1 B	✓	✓	✓
KPK REGEN 2 • KPKB REGEN 2 B	✓	✓	✓
KPL REGEN 3 • KPLB REGEN 3 B	✓	✓	✓
KPS REGEN 4 • KPSB REGEN 4 B	✓	✓	✓
KPM REGEN 5 • KPMB REGEN 5 B	✓	✓	✓
KPR REGEN 6 • KPRB REGEN 6 B	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	×
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA COLOUR PALETTE	AMSTERDAM • MONTREAL • MONACO	1500 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	HANDRAIL**	1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL	1500 mm
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON***	1800 mm
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME	N MONACO	1500 mm
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	HANDRAIL WITH PUSHBUTTON****	1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm
RC3 PACKAGE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL ONLY FOR REGEN 3, 4, 5, 6	1500 mm 1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ONLY FOR REGEN 3, 4, 5, 6	1500 mm 1800 mm
MAGNETIC REED SWITCH	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
SIZE 100E	SET tedee PRO	
QUADRO INSERT AND APPLICATION ON THE OTHER SIDE	N KEYPAD tedee	
QUADRO INSERT ON THE OTHER SIDE	N DOOR OPENING SENSOR tedee	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING (10, 20, 30, 40 mm)		

* EXTRA CHARGE
 ** ELECTRIC STRIKE RECOMMENDED
 *** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



KPL REGEN 3



KPS REGEN 4



KPM REGEN 5



KPRB REGEN 6 B

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA



BERGEN

HANDRAIL-HANDLE




1000 mm
1500 mm
1700 mm
1800 mm
2000 mm




FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE
TERRA
PAGES 106-109



RAL COLOUR PALETTE
EXTRA CHARGE



KPE DREZNO 1



KPA B ERFURT 1 B



QUADRO INSERT COLOURS

INOX



BLACK RAL 9005



STANDARD DOOR DIMENSIONS

DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM · ALUTHERM)	2076 mm · 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KPE DREZNO 1 · KPEB DREZNO 1 B	✓	✓	✗
KPH DREZNO 4 · KPHB DREZNO 4 B	✓	✓	✓
KPA ERFURT 1 · KPAB ERFURT 1 B	✓	✓	✓
KPB ERFURT 2 · KPBB ERFURT 2 B	✓	✓	✓
KPC ERFURT 3 · KPCB ERFURT 3 B	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	✗
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA COLOUR PALETTE	AMSTERDAM · MONTREAL · MONACO HANDRAIL**	1500 mm	
POWDER COATED DOOR, GALACTICA · GALA OPEN PALETTE		1800 mm	
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM · MONTREAL HANDRAIL WITH PUSHBUTTON***	1500 mm	
TWO-COLOURED DOOR, GALA PALETTE		1800 mm	
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm	
ALUTHERM DOOR FRAME THERMO PREMIUM		1800 mm	
DUOTHERM XL DOOR FRAME THERMO PREMIUM	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm	
RC3 PACKAGE		1800 mm	
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm	
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE		1800 mm	
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX	
MAGNETIC REED SWITCH		RAL 9005 BLACK	
SIZE 100E	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX	
QUADRO INSERT ON THE OTHER SIDE		RAL 9005 BLACK	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	S INTEGRA HANDRAIL ONLY FOR ERFURT 2	1500 mm	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		1800 mm	
24V SMPS	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ONLY FOR ERFURT 2	1500 mm	
INSULATION DUO TAPES		1800 mm	
SUBTHRESHOLD EXTENSION H=70-250 mm	R RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS		no extra charge
DOOR SHORTENING DREZNO 1 (10, 20, 30, 40, 60, 80, 100 mm) DREZNO 4, ERFURT 1, ERFURT 2 (10, 20, 30, 40 mm)	SET tedee PRO		
	N KEYPAD tedee		
	N DOOR OPENING SENSOR tedee		

* EXTRA CHARGE
 ** ELECTRIC STRIKE RECOMMENDED
 *** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



KPH DREZNO 4



KPB ERFURT 2



KPC ERFURT 3


STANDARD HARDWARE RC2		EXTRA CHARGE HARDWARE	
THERMO PRIME	HANDLE-HANDLE 	HANDLE-HANDLE 	PRAGA
		KNOB-HANDLE 	
THERMO PREMIUM			BERGEN
		HANDRAIL-HANDLE 	

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm


MONTREAL
AMSTERDAM · MONACO
ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS





Q01




Q02



Q03



Q04



STANDARD DOOR DIMENSIONS

WORKING DOOR LEAF WIDTH	80	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH	300 mm	400 mm	500 mm	
DOOR HEIGHT	2087-2400 mm			

	30	40	50
Q01 • Q01 B	x	✓	✓
Q02 • Q02 B	✓	✓	✓
Q03 • Q03 B	x	✓	✓
Q04 • Q04 B	x	✓	✓

		THERMO PREMIUM 75 DUO
Q01 • Q02	ULM 1 • ULM 2 • HAMBURG • JENA 3 • JENA 4 • JENA 5	✓
Q01	PASAWA 2 • PASAWA 3 • BAMBERG 1 • BAMBERG 3 • ONEX	✓
Q01	PASAWA 1	✓
Q02	TREWIR 1	✓
Q03	BAMBERG 4	✓
Q03	PASAWA 2 • PASAWA 3 • BAMBERG 1 • BAMBERG 3	✓
Q03	PASAWA 1	✓
Q04	PASAWA 4 • BAMBERG 2 • BAMBERG 4 • HAMBURG	✓
Q04	PASAWA 2 • PASAWA 3 • BAMBERG 1 • BAMBERG 3 • ONEX	✓
Q04	PASAWA 1	✓

STANDARD RC2 EQUIPMENT**

		THERMO PREMIUM 75 DUO
DOOR WITH HIGH THERMAL INSULATION FACTOR		•
DESIGN		ONE-SIDED
SIDES WITH SEAL		4
DOOR FRAME		ALUTHERM 75
HINGES WITH CAPS		3D
THRESHOLD		WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE		LONG PLATE PRAGA OR BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS		ZW 2000
MORTISE LOCK		AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME		•
LOCK CYLINDERS		GERDA EVO, CLASS 5
SECURITY OPTION		STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO – HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
DOUBLE-SIDED POWDER COATED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
DOOR TO SIZE ACCORDING TO WORKING DOOR LEAF	WIDTH UP TO 1130 mm HEIGHT UP TO 2400 mm	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT ***** 1500 mm 1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL ACCORDING TO WORKING LEAF	1500 mm 1800 mm
MAGNETIC REED SWITCH	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ACCORDING TO WORKING LEAF	1500 mm 1800 mm
SIZE 100E	SET tedee PRO	
INTEGRATED CLOSER	N KEYPAD tedee	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	N DOOR OPENING SENSOR tedee	
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING ACCORDING TO WORKING LEAF		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS



CLEAR



FROSTED



FROSTED WITH CLEAR STRIPES



REFLEX BROWN




REFLEX GRAPHITE



REFLEX BLACK ANTISOL



MIRA STAR MIRROR



JENA 3 + Q01



JENA 3 + Q02



BAMBERG 1 + Q03



BAMBERG 2 B + Q04 B

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA


THERMO PREMIUM



PRAGA

EXTRA CHARGE HARDWARE

HANDRAIL-HANDLE



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

QUADRO INSERT COLOURS

INOX




BLACK RAL 9005



GLASS FRAMES INTERNAL SIDE


MODERN FRAME IN DOOR LEAF COLOUR



FRAME XN INOX



FRAME XB RAL 9005



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS


DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 108-109



RAL COLOUR PALETTE EXTRA CHARGE



Q05



Q06



Q07



Q08



QUADRO
GLASS UNDERNEATH THE DOOR PLANE



QUADRO
INSERTS ON SOLID DOOR

STANDARD DOOR DIMENSIONS

WORKING DOOR LEAF WIDTH	80	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH	300 mm	400 mm	500 mm	
DOOR HEIGHT	2087-2400 mm			

	30	40	50
Q01 • Q01 B	x	✓	✓
Q02 • Q02 B	✓	✓	✓
Q03 • Q03 B	x	✓	✓
Q04 • Q04 B	x	✓	✓

		THERMO PREMIUM 75 DUO
Q01 • Q02	ULM 1 • ULM 2 • HAMBURG • JENA 3 • JENA 4 • JENA 5	✓
Q01	PASAWA 2 • PASAWA 3 • BAMBERG 1 • BAMBERG 3 • ONEX	✓
Q01	PASAWA 1	✓
Q02	TREWIR 1	✓
Q03	BAMBERG 4	✓
Q03	PASAWA 2 • PASAWA 3 • BAMBERG 1 • BAMBERG 3	✓
Q03	PASAWA 1	✓
Q04	PASAWA 4 • BAMBERG 2 • BAMBERG 4 • HAMBURG	✓
Q04	PASAWA 2 • PASAWA 3 • BAMBERG 1 • BAMBERG 3 • ONEX	✓
Q04	PASAWA 1	✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 75 DUO
DOOR WITH HIGH THERMAL INSULATION FACTOR	•
DESIGN	ONE-SIDED
SIDES WITH SEAL	4
DOOR FRAME	ALUTHERM 75
HINGES WITH CAPS	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE	LONG PLATE PRAGA OR BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 2000
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME	•
LOCK CYLINDERS	GERDA EVO, CLASS 5
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO – HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE		
DOUBLE-SIDED POWDER COATED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
DOOR TO SIZE ACCORDING TO WORKING DOOR LEAF	WIDTH UP TO 1130 mm HEIGHT UP TO 2400 mm	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT ***** 1500 mm 1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE		
MAGNETIC REED SWITCH	S INTEGRA HANDRAIL ACCORDING TO WORKING LEAF	1500 mm 1800 mm
SIZE 100E	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ACCORDING TO WORKING LEAF	1500 mm 1800 mm
INTEGRATED CLOSER		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES	SET tedee PRO	
SUBTHRESHOLD EXTENSION H=70-250 mm	N KEYPAD tedee	
DOOR SHORTENING ACCORDING TO WORKING LEAF	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





TREWIR 1 B + Q05 B



TREWIR 4 B + Q06 B



REGEN 4 + Q07



REGEN 5 + Q08

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA


THERMO PREMIUM



PRAGA

EXTRA CHARGE HARDWARE

HANDRAIL-HANDLE



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

QUADRO INSERT COLOURS

INOX




BLACK RAL 9005



GLASS FRAMES INTERNAL SIDE

MODERN FRAME IN DOOR LEAF COLOUR



FRAME XN INOX



FRAME XB RAL 9005



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 108-109



RAL COLOUR PALETTE EXTRA CHARGE



Q09



Q10



Q11



Q12



STANDARD DOOR DIMENSIONS				
WORKING DOOR LEAF WIDTH	80	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH	300 mm	400 mm	500 mm	
DOOR HEIGHT	2087-2400 mm			

	30	40	50
Q09 • Q09 B	✓	✓	✓
Q10 • Q10 B	✓	✓	✓
Q11 • Q11 B	✓	✓	✓
Q12 • Q12 B	✓	✓	✓

		THERMO PREMIUM 75 DUO
Q09	THUN • THUN 2	✓
Q10	ERFURT 1 • ERFURT 2	✓
Q11	PASAWA 4 • BAMBERG 2 • BAMBERG 4	✓
Q11	PASAWA 2 • PASAWA 3 • BAMBERG 1 • BAMBERG 3	✓
Q11	PASAWA 1	✓
Q12	REGEN 2 • REGEN 4 • REGEN 6	✓
Q12	KRONACH 2 • KRONACH 4 • REGEN 1 • REGEN 3 • REGEN 5	✓
Q12	KRONACH 1 • KRONACH 3	✓
Q12	ULM 1 • ULM 2	✓


STANDARD RC2 EQUIPMENT**		THERMO PREMIUM 75 DUO
DOOR WITH HIGH THERMAL INSULATION FACTOR		•
DESIGN		ONE-SIDED
SIDES WITH SEAL		4
DOOR FRAME		ALUTHERM 75
HINGES WITH CAPS		3D
THRESHOLD		WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE		LONG PLATE PRAGA OR BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS		ZW 2000
MORTISE LOCK		AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME		•
LOCK CYLINDERS		GERDA EVO, CLASS 5
SECURITY OPTION		STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO – HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE		
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL	1500 mm
DOUBLE-SIDED POWDER COATED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm
DOOR TO SIZE ACCORDING TO WORKING DOOR LEAF	WIDTH UP TO 1130 mm	N MONACO HANDRAIL WITH PUSHBUTTON**** 1500 mm 1800 mm
	HIGHT UP TO 2400 mm	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** 1500 mm 1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE		
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE		
MAGNETIC REED SWITCH	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
SIZE 100E		
INTEGRATED CLOSER	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS	SET tedee PRO	
INSULATION DUO TAPES	N KEYPAD tedee	
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING ACCORDING TO WORKING LEAF	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





THUN + Q09



ERFURT 2 + Q10



PASAWA 3 + Q11



KRONACH 4 + Q12

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PREMIUM




PRAGA

EXTRA CHARGE HARDWARE

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

QUADRO INSERT COLOURS

INOX



BLACK RAL 9005




GLASS FRAMES INTERNAL SIDE

MODERN FRAME IN DOOR LEAF COLOUR



FRAME XN INOX



FRAME XB RAL 9005



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



N

INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 108-109



RAL COLOUR PALETTE EXTRA CHARGE



ELF DAVOS



ELA BRIG

STANDARD DOOR DIMENSIONS

DOOR WIDTH	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM • ALUTHERM)	2076 mm • 2087 mm			

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
ELA BRIG	✓	✓	✓
ELB OLTEN	✓	✓	✓
ELC VISP	✓	✓	✓
ELD TRIN	✓	✓	✓
ELE BERNO	✓	✓	✓
ELF DAVOS	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	ONE-SIDED		
SIDES WITH SEAL	4	4	4
DOOR FRAME	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	3D	3D	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN		LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 2000	×
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE
POWDER COATED DOOR, INTERGALACTICA PALETTE	MAGNETIC REED SWITCH
TWO-COLOURED DOOR, GALA PALETTE	SIZE 100E
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME (AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA)	WIDTH UP TO 1130 mm HIGHT UP TO 2400 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME
DUOTHERM XL DOOR FRAME THERMO PREMIUM	24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE	24V SMPS
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	INSULATION DUO TAPES
3D FRAMES ON THE OTHER SIDE	SUBTHRESHOLD EXTENSION H=70-250 mm
	DOOR SHORTENING (10, 20, 30, 40 mm)
	SET tedee PRO
	KEYPAD tedee
	DOOR OPENING SENSOR tedee

* EXTRA CHARGE



ELITE 3D FRAMES





ELB OLTEN



ELC VISP



ELE BERNO



ELD TRIN

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PRIME



BERGEN



PRAGA

THERMO PREMIUM



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 106-109




RAL COLOUR PALETTE EXTRA CHARGE



E01

E02

E03



E04

E05

STANDARD DOOR DIMENSIONS

WORKING DOOR LEAF WIDTH	80	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH	300 mm	400 mm	500 mm	
DOOR HEIGHT	2087-2400 mm			

* EXTRA CHARGE

	30	40	50
E01	x	✓	✓
E02	x	✓	✓
E03	x	✓	✓
E04	x	✓	✓
E05	x	✓	✓

THERMO PREMIUM 75 DUO

E01	DAVOS	✓
E02	BRIG	✓
E03	OLTEN	✓
E04	VISP	✓
E05	TRIN	✓

STANDARD RC2 EQUIPMENT

THERMO PREMIUM 75 DUO

DOOR WITH HIGH THERMAL INSULATION FACTOR	•
DESIGN	ONE-SIDED
SIDES WITH SEAL	4
DOOR FRAME	ALUTHERM 75
HINGES WITH CAPS	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE	LONG PLATE PRAGA OR BERGEN
BOLT LOCK	ZW 2000
KEYED ALIKE LOCK CYLINDERS	
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME	•
LOCK CYLINDERS	GERDA EVO, CLASS 5
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	
POWDER COATED DOOR, INTERGALACTICA PALETTE	
TWO-COLOURED DOOR, GALA PALETTE	
HIGHER DOOR, EVERY 50 mm ONLY WITH ALUTHERM DOOR FRAME	WIDTH UP TO 1130 mm
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, PDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	HIGHT UP TO 2400 mm
ALUTHERM DOOR FRAME THERMO PREMIUM	
DUOTHERM XL DOOR FRAME THERMO PREMIUM	
RC3 PACKAGE	
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	
3D FRAMES ON THE OTHER SIDE	
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	
MAGNETIC REED SWITCH	
SIZE 100E	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	
24V SMPS	
INSULATION DUO TAPES	
SUBTHRESHOLD EXTENSION H=70-250 mm	
DOOR SHORTENING (10, 20, 30, 40 mm)	
SET tedee PRO	
KEYPAD tedee	
DOOR OPENING SENSOR tedee	

ELITE 3D FRAMES

CLASSIC



MODERN



ELITE 3D

ALUMINIUM FRAMES IN DOOR LEAF COLOUR



DAVOS + E01



BRIG + E02



VISP + E04



TRIN + E05

STANDARD HARDWARE RC2

HANDLE-HANDLE



THERMO PREMIUM

PRAGA



PRAGA

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA Z OCHRONĄ SZYLDU

KNOB-HANDLE




PRAGA Z OCHRONĄ SZYLDU

FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE




BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
 PAGES 106-109



RAL COLOUR PALETTE EXTRA CHARGE



NS3 MILANO 10



NS4 MILANO 11




NS9 MILANO 12




NS1B MILANO 8 B STRONA WEWNĘTRZNA

STANDARD HARDWARE RC2



EXTRA CHARGE HARDWARE



INSERT AND APPLICATION COLOURS



GLASS FRAMES INTERNAL SIDE



FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS





NS5B HANOVER 5 B



NS6 HANOVER 6



STANDARD DOOR DIMENSIONS

DOOR WIDTH THERMO PRIME I THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM · ALUTHERM)	2076 mm · 2087-2400 mm				

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
NS5 HANOVER 5 · NS5B HANOVER 5 B	✓	✓	✓	✓
NS6 HANOVER 6 · NS6B HANOVER 6 B	✓	✓	✓	✓
NS7 INNSBRUCK · NS7B INNSBRUCK B	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			


EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM · MONTREAL · MONACO	1500 mm
POWDER COATED DOOR, GALACTICA · GALA OPEN PALETTE	HANDRAIL***	1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM · MONTREAL	1500 mm
TWO-COLOURED DOOR, GALA PALETTE	HANDRAIL WITH PUSHBUTTON****	1800 mm
DOOR TO SIZE, EVERY 10 mm	MONACO	1500 mm
ONLY WITH ALUTHERM DOOR FRAME	HANDRAIL WITH PUSHBUTTON****	1800 mm
WIDTH UP TO 1130 mm	MONACO	1500 mm
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKf, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm
HIGHT UP TO 2400 mm	MONACO	1500 mm
ALUTHERM DOOR FRAME	HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm
THERMO PREMIUM, OPTIMA	ROSTOCK	INOX
PERFOTHERM XL, DUOTHERM XL DOOR FRAME	HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK
THERMO PREMIUM, OPTIMA	ROSTOCK	INOX
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	INTEGRA	1500 mm
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	HANDRAIL	1800 mm
3D HINGE OPTIMA	ONLY FOR HANOVER 5 AND HANOVER 6	1500 mm
MAGNETIC REED SWITCH	INTEGRA	1500 mm
SIZE 100E	HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	ONLY FOR HANOVER 5 AND HANOVER 6	1500 mm
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
24V SMPS	SET tedee PRO	
INSULATION DUO TAPES	KEYPAD tedee	
SUBTHRESHOLD EXTENSION H=70-250 mm	DOOR OPENING SENSOR tedee	
DOOR SHORTENING HANOVER 5 (10, 20, 30, 40, 60, 80, 100 mm) HANOVER 6 (10, 20, 30, 40 mm)		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





NS7 INNSBRUCK



NS7 INNSBRUCK INTERNAL SIDE



NS5B HANOVER 5 B



NS5B HANOVER 5 B INTERNAL SIDE

INSERT AND APPLICATION COLOURS

INOX




BLACK RAL 9005



GLASS FRAMES INTERNAL SIDE

MODERN FRAME
IN DOOR LEAF COLOUR



FRAME XN INOX



FRAME XB RAL 9005



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 106-109



RAL COLOUR PALETTE EXTRA CHARGE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PRIME



BERGEN



PRAGA

THERMO PREMIUM · OPTIMA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA



BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL

AMSTERDAM · MONACO

ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117



WOO PLAIN



WOO PLAIN

STANDARD DOOR DIMENSIONS					
DOOR WIDTH THERMO PRIME I THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087-2400 mm				

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
WOO PLAIN	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL**	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL	1500 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	HANDRAIL WITH PUSHBUTTON***	1800 mm
TWO-COLOURED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
DOOR TO SIZE, EVERY 10 mm ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA	WIDTH UP TO 1130 mm HEIGHT UP TO 2400 mm	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT**** 1500 mm 1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005****	1500 mm 1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT****	INOX RAL 9005 BLACK
RC3 PACKAGE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	S INTEGRA HANDRAIL	1500 mm 1800 mm
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****	1500 mm 1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
N 3D HINGE OPTIMA	SET tedee PRO	
MAGNETIC REED SWITCH	N KEYPAD tedee	
SIZE 100E	N DOOR OPENING SENSOR tedee	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)		

* EXTRA CHARGE
 ** ELECTRIC STRIKE RECOMMENDED
 *** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED





WOO PLAIN



WOO PLAIN



WOO PLAIN




WOO PLAIN INTERNAL SIDE


	STANDARD HARDWARE RC2	EXTRA CHARGE HARDWARE
THERMO PRIME	HANDLE-HANDLE PRAGA	HANDLE-HANDLE PRAGA
	 BERGEN	KNOB-HANDLE PRAGA
THERMO PREMIUM • OPTIMA	 PRAGA	 BERGEN
	 BERGEN	HANDRAIL-HANDLE 1000 mm 1500 mm 1700 mm 1800 mm 2000 mm MONTREAL AMSTERDAM • MONACO ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS






SNU MILANO 4



SNUX MILANO 4 X



STANDARD DOOR DIMENSIONS

DOOR WIDTH THERMO PRIME I THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087-2400 mm				

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
SNU MILANO 4	✓	✓	✓	✓
SNUA MILANO 4 A	✓	✓	✓	✓
SNUB MILANO 4 B	✓	✓	✓	✓
SNUX MILANO 4 X	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL***	1500 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE		1800 mm
TWO-COLOURED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm
ALUTHERM DOOR FRAME		1800 mm
THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm
DUOTHERM XL DOOR FRAME		1800 mm
THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE		1800 mm
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE		1800 mm
N 3D HINGE OPTIMA	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
MAGNETIC REED SWITCH		
SIZE 100E	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		no extra charge
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)		
	SET tedee PRO	
	N KEYPAD tedee	
	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

GLASS





SNUA MILANO 4 A



SNUA MILANO 4 A INTERNAL SIDE



SNUB MILANO 4 B



SNUB MILANO 4 B INTERNAL SIDE

INSERT AND APPLICATION COLOURS

INOX



BLACK RAL 9005



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 106-109



RAL COLOUR PALETTE EXTRA CHARGE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA



BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL

AMSTERDAM • MONACO

ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117



NTI TURYN 1



NTI TURYN 1 INTERNAL SIDE

STANDARD DOOR DIMENSIONS

DOOR WIDTH THERMO PRIME I THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087-2400 mm				

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
NTI TURYN 1 • NTIB TURYN 1 B	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL***	1500 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE		1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm
TWO-COLOURED DOOR, GALA PALETTE		1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1500 mm
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE		1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
N 3D HINGE OPTIMA	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
MAGNETIC REED SWITCH		
SIZE 100E		
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		no extra charge
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	SET tedee PRO	
24V SMPS		
INSULATION DUO TAPES	N KEYPAD tedee	
SUBTHRESHOLD EXTENSION H=70-250 mm	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



GLASS





NTIB TURYN 1 B



NTI TURYN 1 B INTERNAL SIDE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

THERMO PRIME

THERMO PREMIUM OPTIMA

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm




INSERT AND APPLICATION COLOURS

INOX



BLACK RAL 9005




HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE




BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 106-109



RAL COLOUR PALETTE EXTRA CHARGE

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117



SOJ BERGAMO 2



SOJ BERGAMO 2 INTERNAL SIDE

STANDARD DOOR DIMENSIONS					
DOOR WIDTH THERMO PRIME I THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM · ALUTHERM)	2076 mm • 2087-2400 mm				

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
SOJ BERGAMO 2	✓	✓	✓	✓
SJ9 NICEA 9	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL***	1500 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE		1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm
TWO-COLOURED DOOR, GALA PALETTE		1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE		1500 mm
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005*****	1800 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
N 3D HINGE OPTIMA	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
MAGNETIC REED SWITCH		
SIZE 100E		
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS	SET tedee PRO	
INSULATION DUO TAPES	N KEYPAD tedee	
SUBTHRESHOLD EXTENSION H=70-250 mm	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



GLASS DLA BERGAMO, NICEA





SJ9 NICEA 9



SJ9 NICEA 9 INTERNAL SIDE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PRIME



BERGEN

THERMO PREMIUM · OPTIMA



PRAGA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA



BERGEN

HANDRAIL-HANDLE



1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



INSERT AND APPLICATION COLOURS

INOX



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 106-109



RAL COLOUR PALETTE EXTRA CHARGE

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117



ST4 UPPSALA 1 DEBOSSING



ST4A UPPSALA 1 A DEBOSSING WITH INSERT

STANDARD DOOR DIMENSIONS					
DOOR WIDTH THERMO PRIME AND THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087-2400 mm				


	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
ST4 UPPSALA 1	✓	✓	✓	✓
ST4A UPPSALA 1 A	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL**	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	MONACO HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
TWO-COLOURED DOOR, GALA PALETTE	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****	1500 mm 1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005****	1500 mm 1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT****	INOX RAL 9005 BLACK
RC3 PACKAGE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SET tedee PRO	
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	N KEYPAD tedee	
3D HINGE OPTIMA	N DOOR OPENING SENSOR tedee	
MAGNETIC REED SWITCH		
SIZE 100E		
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		

* EXTRA CHARGE
 ** ELECTRIC STRIKE RECOMMENDED
 *** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

INSERT AND APPLICATION COLOURS





ST4 UPPSALA 1 DEBOSSING



ST4 UPPSALA 1 DEBOSSING



ST4A UPPSALA 1 A INTERNAL SIDE



ST4 UPPSALA 1 DEBOSSING

	STANDARD HARDWARE RC2	EXTRA CHARGE HARDWARE
THERMO PRIME	HANDLE-HANDLE 	HANDLE-HANDLE
		KNOB-HANDLE
THERMO PREMIUM • OPTIMA		
		HANDRAIL-HANDLE

PRAGA BERGEN PRAGA BERGEN PRAGA BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM • MONACO
ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
 PAGES 106-109



RAL COLOUR PALETTE
 EXTRA CHARGE



TML TOKIO 1 DEBOSSING



TMLA TOKIO 1 A DEBOSSING Z INSERTEM

STANDARD DOOR DIMENSIONS					
DOOR WIDTH THERMO PRIME I THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM · ALUTHERM)	2076 mm • 2087-2400 mm				


	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
TML TOKIO 1	✓	✓	✓	✓
TMLA TOKIO 1 A	✓	✓	✓	✓
TMM TOKIO 2	✓	✓	✓	✓
TMMA TOKIO 2 A	✓	✓	✓	✓
WBA ASPEN 1	✓	✓	✓	✓
TN7 ASPEN 2 • TN7B ASPEN 2 B	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL**	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	MONACO HANDRAIL WITH PUSHBUTTON***	1500 mm 1800 mm
TWO-COLOURED DOOR, GALA PALETTE	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****	1500 mm 1800 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005****	1500 mm 1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT****	INOX RAL 9005 BLACK
RC3 PACKAGE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT****	INOX RAL 9005 BLACK
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	INTEGRA HANDRAIL ONLY FOR TOKIO 1, TOKIO 1 A	1500 mm 1800 mm
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT**** ONLY FOR TOKIO 1, TOKIO 1 A	1500 mm 1800 mm
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING DOORS	no extra charge
3D HINGE OPTIMA	SET tedee PRO	
MAGNETIC REED SWITCH	KEYPAD tedee	
SIZE 100E	DOOR OPENING SENSOR tedee	
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		

* EXTRA CHARGE
 ** ELECTRIC STRIKE RECOMMENDED
 *** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED

INSERT AND APPLICATION COLOURS





TMM TOKIO 2 DEBOSSING



TMMA TOKIO 2 A DEBOSSING Z INSERTEM



WBA ASPEN 1 DEBOSSING



TN7 ASPEN 2 DEBOSSING Z INSERTEM

	STANDARD HARDWARE RC2	EXTRA CHARGE HARDWARE
THERMO PRIME	HANDLE-HANDLE 	HANDLE-HANDLE
		KNOB-HANDLE
THERMO PREMIUM · OPTIMA		
		HANDRAIL-HANDLE

PRAGA BERGEN PRAGA BERGEN PRAGA BERGEN


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM · MONACO
ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE
TERRA
PAGES 106-109



RAL COLOUR PALETTE
EXTRA CHARGE



SR3 TROMSO



SR3 TROMSO INTERNAL SIDE


STANDARD DOOR DIMENSIONS					
DOOR WIDTH THERMO PRIME I THERMO PREMIUM	X	80	90N	90E	100E*
DOOR WIDTH OPTIMA	80N	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087-2400 mm				

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
SR3 TROMSO	✓	✓	✓	✓
SR4 TROMSO 1	✓	✓	✓	✓
SR5 TROMSO 2	✓	✓	✓	✓

STANDARD RC2 EQUIPMENT**	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•	•
DESIGN	DOUBLE-SIDED DESIGN			
SIDES WITH SEAL	3	4	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75	ALUTHERM 75
HINGES WITH CAPS	2D	3D	3D	3D
THRESHOLD	ALUMINIUM	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm		
HARDWARE	LONG PLATE PRAGA OR BERGEN			LONG PLATE PRAGA OR SPLIT BERGEN
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000	X
MORTISE LOCK	X	3-POINT AUTOMATIC OR 3-POINT 2-HOOK MORTISE LOCK		3-POINT AUTOMATIC OR 5-POINT 4-HOOK MORTISE LOCK
LOCK CYLINDERS	GERDA EVO, CLASS 5			
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35			

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO HANDRAIL**	1500 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE		1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON***	1500 mm
		1800 mm
TWO-COLOURED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON***	1500 mm
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA		1800 mm
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****	1500 mm
		1800 mm
RC3 PACKAGE	N MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT, BLACK RAL 9005****	1500 mm
		1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE		
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT****	INOX
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE		RAL 9005 BLACK
N 3D HINGE OPTIMA	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, WITH PUSHBUTTON AND LED BACKLIGHT****	INOX
		RAL 9005 BLACK
MAGNETIC REED SWITCH		
SIZE 100E		
INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME	RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK NOT AVAILABLE FOR INWARD OPENING THERMO PREMIUM DOORS	no extra charge
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS	SET tedee PRO	
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm	N KEYPAD tedee	
DOOR SHORTENING TROMSO 1 (10, 20, 30, 40 mm)	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** ELECTRIC STRIKE RECOMMENDED
 *** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED





SR5 TROMSO 2



SR5 TROMSO 2 INTERNAL SIDE



SR4 TROMSO 1



SR4 TROMSO 1 INTERNAL SIDE

STANDARD HARDWARE RC2		EXTRA CHARGE HARDWARE	
THERMO PRIME	HANDLE-HANDLE		PRAGA
			PRAGA
			BERGEN
THERMO PREMIUM • OPTIMA			PRAGA
			PRAGA
			BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM • MONACO
ROSTOCK

FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE	SILVER ANODE	BLACK ANODE	GOLD ANODE	INOX
				ONLY FOR HANDRAILS

DOOR COLOURS

STANDARD COLOUR PALETTE TERRA PAGES 106-109	RAL COLOUR PALETTE EXTRA CHARGE



T01



T02



T03



T04

STANDARD DOOR DIMENSIONS

WORKING DOOR LEAF WIDTH	80	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH	300 mm	400 mm	500 mm	
DOOR HEIGHT	2087-2400 mm			

	30	40	50
T01 • T01 B	✓	✓	✓
T02 • T02 B	✓	✓	✓
T03 • T03 B	✗	✓	✓
T04 • T04 B	✗	✓	✓

		THERMO PREMIUM 75 DUO
T01 • T03	MILANO 11 • HANOVER 5	✓
T02 • 004	MILANO 8 • MILANO 9 • MILANO 12 • HANOVER 6	✓
T02 • 004	MILANO 10 • INNSBRUCK	✓

STANDARD RC2 EQUIPMENT**

	THERMO PREMIUM 75 DUO
DOOR WITH HIGH THERMAL INSULATION FACTOR	•
DESIGN	DOUBLE-SIDED
SIDES WITH SEAL	4
DOOR FRAME	ALUTHERM 75
HINGES WITH CAPS	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE	LONG PLATE PRAGA OR BERGEN
BOLT LOCK	ZW 2000
KEYED ALIKE LOCK CYLINDERS	
MORTISE LOCK	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME	•
LOCK CYLINDERS	GERDA EVO, CLASS 5
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS

POWDER COATED DOOR, GALA PALETTE	AMSTERDAM • MONTREAL • MONACO – HANDRAIL***	1500 mm 1800 mm
POWDER COATED DOOR, GALACTICA • GALA OPEN PALETTE	AMSTERDAM • MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE		
DOUBLE-SIDED POWDER COATED DOOR, GALA PALETTE	N MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm 1800 mm
	N MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT*****	1500 mm 1800 mm
DOOR TO SIZE ACCORDING TO WORKING DOOR LEAF	WIDTH UP TO 1130 mm	
	HIGHT UP TO 2400 mm	
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	N ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	INOX RAL 9005 BLACK
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE		
MAGNETIC REED SWITCH	S INTEGRA HANDRAIL ACCORDING TO WORKING LEAF	1500 mm 1800 mm
SIZE 100E	S INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ACCORDING TO WORKING LEAF	1500 mm 1800 mm
INTEGRATED CLOSER		
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		
24V SMPS		
INSULATION DUO TAPES	SET tedee PRO	
SUBTHRESHOLD EXTENSION H=70-250 mm	N KEYPAD tedee	
DOOR SHORTENING ACCORDING TO WORKING LEAF	N DOOR OPENING SENSOR tedee	

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



GLASS





MILANO 11 B + T01 B



MILANO 8 + T02



HANOVER 5 B + T03 B



HANOVER 6 + T04

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA


THERMO PREMIUM



PRAGA

EXTRA CHARGE HARDWARE

HANDRAIL-HANDLE




FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

INSERT AND APPLICATION COLOURS

INOX



BLACK RAL 9005



HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE




BLACK ANODE



GOLD ANODE




INOX



ONLY FOR HANDRAILS


DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 106-109



RAL COLOUR PALETTE EXTRA CHARGE



T05



T05

STANDARD DOOR DIMENSIONS				
WORKING DOOR LEAF WIDTH	80	90N	90E	100E*
PASSIVE DOOR LEAF WIDTH	300 mm	400 mm	500 mm	
DOOR HEIGHT	2087-2400 mm			

	30	40	50
T05	✓	✓	✓

	THERMO PREMIUM 75 DUO
T05 PLAIN	✓
T05 FARGO 1 · FARGO 2 · FARGO 3	✓
T05 REGEN 2 · REGEN 4 · REGEN 6 · DREZNO 1 · DREZNO 4 · ERFURT 1 · ERFURT 2	✓
T05 KRONACH 2 · KRONACH 4 · REGEN 1 · REGEN 3 · REGEN 5 · THUN · THUN 2 · SION · VISP · BERNO	✓
T05 MILANO 8 · MILANO 9 · MILANO 11 · MILANO 12 · HANOVER 5 · HANOVER 6	✓
T05 KRONACH 1 · KRONACH 3 · LUCERNA · LOZANNA · DAVOS	✓
T05 MILANO 10 · INNSBRUCK · VIDAR 1 · VIDAR 2 · VIDAR 3	✓
T05 BRIG · OLTEN · TRIN	✓
T05 LINZ 1 · LINZ 2 · GRAZ 1 · GRAZ 2	✓
T05 PASAWA 4 · JENA 3 · JENA 4 · JENA 5 · BAMBERG 2 · BAMBERG 4 · ULM 1 · ULM 2 · TREWIR 2 · TREWIR 4 · TREWIR 7	✓
T05 LINZ 3 · GRAZ 3	✓
T05 PASAWA 2 · PASAWA 3 · BAMBERG 1 · BAMBERG 3 · TREWIR 1 · TREWIR 3	✓
T05 SALZBURG · VILLACH · BADEN 1 · BADEN 2 · AROSA 1 · AROSA 2	✓
T05 PASAWA 1 · LOCARNO · ONEX · HAMBURG	✓

	THERMO PREMIUM 75 DUO
DOOR WITH HIGH THERMAL INSULATION FACTOR	•
DESIGN	DOUBLE-SIDED DESIGN
SIDES WITH SEAL	4
DOOR FRAME	ALUTHERM 75
HINGES WITH CAPS	3D
THRESHOLD	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm
HARDWARE	LONG PLATE PRAGA OR BERGEN
BOLT LOCK	ZW 2000
KEYED ALIKE LOCK CYLINDERS	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK
MORTISE LOCK	•
CENTRAL DOOR LOCK WITH ADJUSTABLE CATCHES IN THE THRESHOLD AND FRAME	•
LOCK CYLINDERS	GERDA EVO, CLASS 5
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35

EXTRA CHARGE OPTIONS		
POWDER COATED DOOR, GALA PALETTE	AMSTERDAM · MONTREAL · MONACO – HANDRAIL***	1500 mm / 1800 mm
POWDER COATED DOOR, GALACTICA · GALA OPEN COLOUR PALETTE	AMSTERDAM · MONTREAL HANDRAIL WITH PUSHBUTTON****	1500 mm / 1800 mm
POWDER COATED DOOR, INTERGALACTICA PALETTE	MONACO HANDRAIL WITH PUSHBUTTON****	1500 mm / 1800 mm
DOUBLE-SIDED POWDER COATED DOOR, GALA COLOUR PALETTE	MONACO HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT****	1500 mm / 1800 mm
DOOR TO SIZE ACCORDING TO WORKING DOOR LEAF	MONACO HANDRAIL WITH INSERT, PUSHBUTTON AND LED BACKLIGHT****	1500 mm / 1800 mm
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH PUSHBUTTON AND LED BACKLIGHT*****	INOX / RAL 9005 BLACK
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	ROSTOCK HANDRAIL LENGTH 2000 mm WITH INSERT, PUSHBUTTON AND LED BACKLIGHT*****	INOX / RAL 9005 BLACK
GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	INTEGRA HANDRAIL ACCORDING TO WORKING LEAF	1500 mm / 1800 mm
MAGNETIC REED SWITCH	INTEGRA HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT***** ACCORDING TO WORKING LEAF	1500 mm / 1800 mm
SIZE 100E	SET tedee PRO	
INTEGRATED CLOSER	KEYPAD tedee	
24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	DOOR OPENING SENSOR tedee	
24V SMPS		
INSULATION DUO TAPES		
SUBTHRESHOLD EXTENSION H=70-250 mm		
DOOR SHORTENING ACCORDING TO WORKING LEAF		

* EXTRA CHARGE
 ** RC2N FOR GLAZED DOORS
 *** ELECTRIC STRIKE RECOMMENDED
 **** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED
 ***** ELECTRIC STRIKE AND ADAPTATION TO A HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT REQUIRED, POWER SUPPLY PURCHASE RECOMMENDED



GLASS





TREWIR 1 B + T05



MILANO 8 + T05



BAMBERG 2 B + T05



HANOVER 6 + T05

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA


THERMO PREMIUM



PRAGA

EXTRA CHARGE HARDWARE

HANDRAIL-HANDLE




FULL LIST OF HANDRAILS: PAGE 112
FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

INSERT AND APPLICATION COLOURS

INOX



BLACK RAL 9005



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



INOX



ONLY FOR HANDRAILS

DOOR COLOURS



STANDARD COLOUR PALETTE TERRA
PAGES 108-109



RAL COLOUR PALETTE EXTRA CHARGE



W76 MODENA

STANDARD DOOR DIMENSIONS			
DOOR WIDTH	80	90N	90E
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087 mm		

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
W76 MODENA	✓	✓	✓
W77 MODENA 2	✓	✓	✓
WDR RAVENA	✓	✓	✓


STANDARD RC2 EQUIPMENT*	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	DOUBLE-SIDED DESIGN		
SIDES WITH SEAL	3	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75
HINGES WITH CAPS	2D	3D	3D
THRESHOLD	ALUMINIOWY	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm	
HARDWARE	LONG PLATE PRAGA OR BERGEN		
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000
MORTISE LOCK	×	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK	
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		



W77 MODENA 2

EXTRA CHARGE OPTIONS	
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE ONLY FOR RAVENA	24V SMPS
TWO-COLOUR DOOR, TERRA PALETTE	INSULATION DUO TAPES
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SUBTHRESHOLD EXTENSION H=70-250 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
N 3D HINGE OPTIMA	SET tedee PRO
MAGNETIC REED SWITCH	N KEYPAD tedee
	N DOOR OPENING SENSOR tedee

* RC2N FOR GLAZED DOORS



GLASS





W76 MODENA



WDR RAVENA




W77 MODENA 2 INTERNAL SIDE

STANDARD HARDWARE RC2		EXTRA CHARGE HARDWARE	
HANDLE-HANDLE		HANDLE-HANDLE	
PRAGA		PRAGA	
THERMO PREMIUM · OPTIMA		KNOB-HANDLE	
PRAGA		PRAGA	
BERGEN		BERGEN	

FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS





W91 WERONA



W94 WERONA 1


STANDARD DOOR DIMENSIONS			
DOOR WIDTH	80	90N	90E
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087 mm		

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
W91 WERONA	✓	✓	✓
W94 WERONA 1	✓	✓	✓
W93 WERONA 3	✓	✓	✓
W6A WERONA 4	✓	✓	✓
WQA WERONA 5	✓	✓	✓

STANDARD RC2 EQUIPMENT*	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	DOUBLE-SIDED DESIGN		
SIDES WITH SEAL	3	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75
HINGES WITH CAPS	2D	3D	3D
THRESHOLD	ALUMINIOWY	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm	
HARDWARE	LONG PLATE PRAGA OR BERGEN		
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000
MORTISE LOCK	×	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK	
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS	
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE ONLY FOR W91 WERONA	24V SMPS
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	INSULATION DUO TAPES
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SUBTHRESHOLD EXTENSION H=70-250 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
N 3D HINGE OPTIMA	SET tedee PRO
MAGNETIC REED SWITCH	N KEYPAD tedee
	N DOOR OPENING SENSOR tedee

* RC2N FOR GLAZED DOORS



GLASS





W93 WERONA 3



W6A WERONA 4



WQA WERONA 5



WQA WERONA 5 INTERNAL SIDE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PREMIUM - OPTIMA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



DOOR COLOURS



**STANDARD
COLOUR PALETTE
TERRA**
PAGES 106-109



W24 LIZBONA

STANDARD DOOR DIMENSIONS			
DOOR WIDTH	80	90N	90E
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087 mm		

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
W24 LIZBONA	✓	✓	✓
W9N WENECJA	✓	✓	✓
W13 LONDYN	✓	✓	✓
W5L LONDYN 1	✓	✓	✓


	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	DOUBLE-SIDED DESIGN		
SIDES WITH SEAL	3	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75
HINGES WITH CAPS	2D	3D	3D
THRESHOLD	ALUMINIOWY	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm	
HARDWARE	LONG PLATE PRAGA OR BERGEN		
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000
MORTISE LOCK	×	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK	
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		



W9N WENECJA

EXTRA CHARGE OPTIONS	
ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE ONLY FOR LIZBONA, WENECJA, W13 LONDYN	24V SMPS
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	INSULATION DUO TAPES
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SUBTHRESHOLD EXTENSION H=70-250 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
N 3D HINGE OPTIMA	SET tedee PRO
MAGNETIC REED SWITCH	N KEYPAD tedee
	N DOOR OPENING SENSOR tedee

* RC2N FOR GLAZED DOORS



GLASS





W13 LONDYN



W13 LONDYN INTERNAL SIDE



W9N WENECJA INTERNAL SIDE




W5L LONDYN 1

STANDARD HARDWARE RC2		EXTRA CHARGE HARDWARE	
THERMO PREMIUM · OPTIMA	HANDLE-HANDLE	HANDLE-HANDLE	PRAGA
	PRAGA	PRAGA	
	BERGEN	BERGEN	
	BERGEN	KNOB-HANDLE	BERGEN
	BERGEN	BERGEN	

FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS



DOOR COLOURS





W54 BARCELONA



W53 BARCELONA 1

STANDARD DOOR DIMENSIONS

DOOR WIDTH	80	90N	90E
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)	2076 mm • 2087 mm		

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
W54 BARCELONA	✓	✓	✓
W53 BARCELONA 1	✓	✓	✓
G76 GENEWA 1	✓	✓	✓
G75 GENEWA 2	✓	✓	✓
D75 GENEWA 3	✓	✓	✓


STANDARD RC2 EQUIPMENT*

	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	DOUBLE-SIDED DESIGN		
SIDES WITH SEAL	3	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75
HINGES WITH CAPS	2D	3D	3D
THRESHOLD	ALUMINIOWY	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm	
HARDWARE	LONG PLATE PRAGA OR BERGEN		
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000
MORTISE LOCK	×	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK	
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE ONLY FOR W54 BARCELONA, D75 GENEWA 3	24V SMPS
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	INSULATION DUO TAPES
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SUBTHRESHOLD EXTENSION H=70-250 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
N 3D HINGE OPTIMA	SET tedee PRO
MAGNETIC REED SWITCH	N KEYPAD tedee
	N DOOR OPENING SENSOR tedee

* RC2N FOR GLAZED DOORS



GLASS

FROSTED



REFLEX BROWN



MIRA STAR MIRROR





G76 GENEWA 1



G75 GENEWA 2



D75 GENEWA 3



D75 GENEWA 3 INTERNAL SIDE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PREMIUM · OPTIMA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA




BERGEN

FULL LIST OF HANDLES: PAGE 113
FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



DOOR COLOURS



**STANDARD
COLOUR PALETTE
TERRA**
PAGES 106-109



W13T LONDYN



W54T BARCELONA

STANDARD DOOR DIMENSIONS				
DOOR WIDTH		80	90N	90E
DOOR HEIGHT (DUOTHERM, PERFOTHERM • ALUTHERM)		2076 mm • 2087 mm		


	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
W13T LONDYN	✓	✓	✓
W54T BARCELONA	✓	✓	✓
W91T WERONA	✓	✓	✓
W24T LIZBONA	✓	✓	✓
W9NT WENECJA	✓	✓	✓

STANDARD RC2 EQUIPMENT*	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75
DOOR WITH HIGH THERMAL INSULATION FACTOR	•	•	•
DESIGN	DOUBLE-SIDED DESIGN		
SIDES WITH SEAL	3	4	4
DOOR FRAME	PERFOTHERM 60	DUOTHERM 60	DUOTHERM 75
HINGES WITH CAPS	2D	3D	3D
THRESHOLD	ALUMINIOWY	WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION H=35 mm	
HARDWARE	LONG PLATE PRAGA OR BERGEN		
BOLT LOCK KEYED ALIKE LOCK CYLINDERS	ZW 1000	ZW 1000	ZW 2000
MORTISE LOCK	×	AUTOMATIC 3-POINT OR 3-POINT 2-HOOK MORTISE LOCK	
LOCK CYLINDERS	GERDA EVO, CLASS 5		
SECURITY OPTION	STANDARD FOR LOCK CYLINDERS FROM SIZE 35/35		

EXTRA CHARGE OPTIONS

ALUTHERM DOOR FRAME THERMO PREMIUM, OPTIMA	INTEGRATED CLOSER THERMO PREMIUM, THERMO PRIME
DUOTHERM XL DOOR FRAME THERMO PREMIUM, OPTIMA	24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE ONLY FOR RAVENA	24V SMPS
TWO-COLOUR DOOR, TERRA COLOUR PALETTE	INSULATION DUO TAPES
GERDA VITA LOCK CYLINDER CLASS 6, KEYED LIKE	SUBTHRESHOLD EXTENSION H=70-250 mm
N GERDA EXXO LOCK CYLINDER CLASS 6, KEYED LIKE	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
N 3D HINGE OPTIMA	SET tedee PRO
MAGNETIC REED SWITCH	N KEYPAD tedee
	N DOOR OPENING SENSOR tedee

* RC2N FOR GLAZED DOORS





W91T WERONA



W24T LIZBONA



W9NT WENECJA



W9NT WENECJA INTERNAL SIDE

STANDARD HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PREMIUM - OPTIMA



BERGEN

EXTRA CHARGE HARDWARE

HANDLE-HANDLE



PRAGA

KNOB-HANDLE



PRAGA



BERGEN

FULL LIST OF HANDRAILS: PAGE 112
 FULL LIST OF HANDLES: PAGE 113
 FIXED ALUMINUM GLAZED PANELS: PAGES 106-107
 FULL LIST OF EQUIPMENT: PAGES 110-117

HARDWARE COLOURS


PLATINUM ANODE



SILVER ANODE



BLACK ANODE



GOLD ANODE



DOOR COLOURS



**STANDARD
 COLOUR PALETTE
 TERRA**
 PAGES 106-109



SET GL



SET G



SET GP



SET LGP

SIDE GLAZED PANELS

HEIGHT Hc	PANEL GLAZING TYPE	WIDTH Ld/Pd
		300-900 mm*
up to 2400 mm	PANEL WITH SAFETY GLASS	✓
	ANTI BULGLARY PANEL RC2 WITH GLASS P4	✓

* SIDE GLAZED PANELS WITH A STANDARD WIDTH IN 50 mm INCREMENTS.
FOR 10 mm INCREMENTS, EXTRA CHARGE +25%.

TOP GLAZED PANELS

HEIGHT Hd	PANEL GLAZING TYPE	WIDTH Ld+Sc+Pd
		up to 2950 mm
300, 400, 500 mm*	PANEL WITH SAFETY GLASS	✓
	ANTI BULGLARY PANEL RC2 WITH GLASS P4	✓

* SIDE GLAZED PANELS WITH A STANDARD HEIGHT IN 50 mm INCREMENTS.
FOR 10 mm INCREMENTS, EXTRA CHARGE +25%.

ALUTHERM DOOR FRAME

DOOR SIZE	HEIGHT Hc*	WIDTH Sc
80	STANDARD 2087 mm	918 mm
90N	OVERSIZED: 2150 mm	988 mm
	2200 mm	
90E	2250 mm	1031 mm
	2300 mm	
100E	2350 mm	1131 mm
	2400 mm	

* FOR DOOR WITH INTEGRATED CLOSER HEIGHT Hz+3,5 mm.

POWDER COATED GLAZED PANELS

GALA PALETTE	✓
GALACTICA PALETTE	✓
INTERGALACTICA PALETTE	✓
GALA OPEN PALETTE	✓



SET L




SET P





SET LP

SIDE GLAZED PANEL WITH DOOR
HORIZONTAL CROSSECTION



TOP GLAZED PANEL WITH DOOR
VERTICAL CROSSECTION



FRR
ALPINE WALNUT
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FMA
MAHOGANY
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FRB
BRAZILIAN WALNUT
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FRP
LIGHT WALNUT
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKC
BLACK
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO

FCM
BLACK MATTE
grain texture

NEW GERDA

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO

FKG
ANTHRACITE
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKO
SILK ANTHRACITE*
MATCHING WITH OTHER WINDOW
PROFILE
smooth

NEW GERDA

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO

* not available for OPTIMA 60

FKR
RED
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKP
LIGHT BLUE
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FNI
BLUE
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKW
COBALT BLUE
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FDE
GOLDEN OAK
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FDW
WINCHESTER
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FDT
TURNER OAK
wood texture
vertical pattern
matte

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO

FEJ
LIGHT WENGE
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO

FSB
WHITE
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKF
DARK ANTHRACITE
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKZ
STEEL-GRAY
wood texture
vertical pattern
semi gloss

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC



www.konfigurator.gerda.pl

You are welcome to use the reliable tool that is the Gerda online door configurator. With its help you can intuitively design a door to suit your needs. In addition, you can immediately see the visualization of your dream door.



RAL COLOUR PALETTE
EXTRA CHARGE
Not available for CLASSIC glazed doors.

FPI
PISTACHIO
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKU
LIGHT GREEN
grain texture

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

FKK
DARK GREEN
grain texture


CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

any colour
outer side

CROSS LINE
AIR GLASS
QUADRO
ELITE 3D
TEMPO
CLASSIC

any colour
inner side

STANDARD HARDWARE FOR MORTISE LOCK




PRAGA

LONG PLATES

BERGEN

SPLIT PLATES with lock cylinder protection

STANDARD HARDWARE FOR GERDA ZW BOLT LOCKS



PRAGA

LONG PLATES
AUXILIARY LOCK PLATES

BERGEN

LONG PLATES with lock cylinder protection
AUXILIARY LOCK PLATES

CYLINDERS SET, KEYED ALIKE SYSTEM, AB SYSTEM (for doors with mortise locks – single cylinder)	CLASS 5
NUMBER OF KEYS	5 + 2
PRAGA OR BERGEN PLATES	to choose from
HINGE CAPS MATCHING FITTING'S COLOUR	✓

GERDA EVO – LOCK CYLINDER CLASS 5



SECURITY CLASS	CLASS 5
MECHANISM DURABILITY	100.000 cycles
NUMBER OF PINS	12 pins: 9 in two rows and 3 side pins
KEY TYPE	horizontal drilled
NUMBER OF KEY CODE COMBINATIONS	9 300 000
RESISTANCE TO BURGLARY CLASS	C
RESISTANCE TO CORROSION CLASS	C
FIRE RESISTANCE	✓ (available from cylinder size 35/35)
ANTY-DRILLING	two steel hardened nickel-plated anti-drilling pins in the body
EMERGENCY FUNCTION	✓
NUMBER OF KEYS	5 keys made of 'new silver' (for final user) + 2 brass keys (for installer)
OTHER	code card
WARRANTY	2 years
tedee READY	no

AB SYSTEM

A



2 x Installer's keys
Installer's key „A“ operates the cylinder until „B“ key is used by final user.

B



5 x final keys
Use of „B“ key deactivates installer's keys. A sealed opaque bag includes set of „B“ keys and code card.


NOTE! The lock cylinder will reach its final protection level after activation with "B" key.

PRAGA HARDWARE COLOURS

PLATINUM ANODE BRUSHED



SILVER ANODE BRUSHED



BLACK ANODE BRUSHED



GOLD ANODE BRUSHED



HARDWARE COLOURS BERGEN

PLATINUM ANODE SMOOTH



SILVER ANODE SMOOTH



BLACK ANODE SMOOTH




LOCK CYLINDER COLOURS


SATINE NICKEL



GLOSSY BLACK



EXTRA CHARGE HARDWARE



PRAGA

with lock cylinder protection

PRAGA

with lock cylinder protection • without lock cylinder protection

BERGEN

MONTREAL + BERGEN

AMSTERDAM + PRAGA

CYLINDERS SET, KEYED ALIKE SYSTEM, AB SYSTEM (for doors with mortise locks – single cylinder)

KLASA 6

NUMBER OF KEYS

5 + 2

PRAGA OR BERGEN PLATES

to choose from

HINGE CAPS MATCHING FITTING'S COLOUR

✓

HANDRAIL LENGTHS



THE VISUALIZATION SHOWS DOOR OF A STANDARD HEIGHT OF 2076 mm.

GERDA VITA – LOCK CYLINDER CLASS 6



SECURITY CLASS	CLASS 6
MECHANISM DURABILITY	100.000 cycles
NUMBER OF PINS	6 active pins
KEY TYPE	vertical incised
NUMBER OF KEY CODE COMBINATIONS	100 000
RESISTANCE TO BURGLARY CLASS	D
RESISTANCE TO CORROSION CLASS	C
FIRE RESISTANCE	✓
ANTY-DRILLING	two steel hardened anti-drilling pins in the body and cylinder
EMERGENCY FUNCTION	✓ (available from cylinder size 30/30)
NUMBER OF KEYS	5 brass nickel-plated keys (for final user) + 2 brass keys (for installer)
OTHER	security card
WARRANTY	5 years (registered product)
tedee READY	✓

GERDA EXXO – LOCK CYLINDER CLASS 6




SECURITY CLASS	CLASS 6
MECHANISM DURABILITY	100.000 cycles
NUMBER OF PINS	9 in two rows
KEY TYPE	horizontal drilled
NUMBER OF KEY CODE COMBINATIONS	450.000
RESISTANCE TO BURGLARY CLASS	D
RESISTANCE TO CORROSION CLASS	C
FIRE RESISTANCE	✓
ANTY-DRILLING	two steel hardened nickel-plated anti-drilling pins in the body
EMERGENCY FUNCTION	✓ (available from cylinder size 35/35)
NUMBER OF KEYS	5 keys made of 'new silver' (for final user) + 2 brass keys (for installer)
OTHER	code card
WARRANTY	2 years
tedee READY	✓

HANDRAIL COLOURS

PLATINUM ANODE BRUSHED




SILVER ANODE BRUSHED



BLACK ANODE BRUSHED




GOLD ANODE BRUSHED



INOX



RAL 9005 BLACK



RAL COLOUR PALETTE
EXTRA CHARGE
ONLY FOR INTEGRA

ONLY FOR AMSTERDAM

AMSTERDAM


ALUMINIUM HANDRAIL WITH RECTANGULAR CROSS-SECTION (40x20 mm)



LENGTH	1000	1500	1700	1800
HANDRAIL	✓	✓	✓	✓
HANDRAIL WITH PUSHBUTTON* ELECTRIC STRIKE REQUIRED	✓	✓	✓	✓
HANDRAIL WITH WIRELESS PUSHBUTTON* ELECTRIC STRIKE REQUIRED	✗	✓	✓	✗

MONTREAL

HANDRAIL WITH CIRCULAR CROSS-SECTION (∅ 35 mm)



LENGTH	1000	1500	1700	1800
HANDRAIL	✓	✓	✓	✓
HANDRAIL WITH PUSHBUTTON* ELECTRIC STRIKE REQUIRED	✓	✓	✓	✓

NEW
GERDA

ROSTOCK

INOX HANDRAIL WITH RECTANGULAR CROSS-SECTION (40X20 mm)



LENGTH	2000			
	•	PUSHBUTTON*	LED BACKLIGHT**	PUSHBUTTON + BACKLIGHT LED**
INOX	✓	✓	✓	✓
BLACK RAL 9005	✓	✓	✓	✓
INOX WITH INSERT	✓	✓	✓	✓
BLACK RAL 9005 WITH INSERT	✓	✓	✓	✓

SELECTED HANDRAIL DESIGNS

ROSTOCK HANDLE AVAILABLE FOR DOORS OPENING OUTWARDS AND WITH A STANDARD HEIGHT OF 2076 mm.

NEW
GERDA

MONACO

INOX HANDRAIL WITH RECTANGULAR CROSS-SECTION (40X20 mm)



LENGTH	1500	1800	1500	1800	1500	1800	1500	1800
	OPTION	•	PUSHBUTTON*		LED BACKLIGHT**		PUSHBUTTON + BACKLIGHT LED**	
INOX	✓	✓	✓	✓	✓	✓	✓	✓
BLACK RAL 9005	✓	✓	✓	✓	✓	✓	✓	✓
INOX WITH INSERT	✓	✓	✓	✓	✓	✓	✓	✓
BLACK RAL 9005 WITH INSERT	✓	✓	✓	✓	✓	✓	✓	✓

SELECTED HANDRAIL DESIGNS

SOON
AVAILABLE

INTEGRA

POCKET HANDRAIL



LENGTH	1500	1800	1500	1800	1500	1800	1500	1800
OPTION	•	PUSHBUTTON*		LED BACKLIGHT***		PUSHBUTTON + BACKLIGHT LED***		
BLACK RAL 9005	✓	✓	✓	✓	✓	✓	✓	✓
GALA PALETTE RAL FINE STRUCTURE	✓	✓	✓	✓	✓	✓	✓	✓

* ADAPTATION FOR DOOR LEAF WITH HANDRAIL AND PUSHBUTTON

EXTRA CHARGE

** ADAPTATION FOR DOOR LEAF WITH HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT

EXTRA CHARGE

*** ADAPTATION FOR DOOR LEAF WITH INTEGRA POCKET HANDRAIL WITH PUSHBUTTON AND WITH PUSHBUTTON AND LED BACKLIGHT

EXTRA CHARGE

24V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE

EXTRA CHARGE

PRAGA

MAIN LOCK (GERDA ZW BOLT OR MORTISE LOCK) ALUMINIUM PLATES



	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
HANDLE-HANDLE WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		
HANDLE-HANDLE WITHOUT LOCK CYLINDER PROTECTION (OUTSIDE)			✓		
KLAMKA JEDNOSTRONNA WITH LOCK CYLINDER PROTECTION (OUTSIDE) FOR HANDRAIL			✓		
KLAMKA JEDNOSTRONNA WITHOUT LOCK CYLINDER PROTECTION (OUTSIDE) FOR HANDRAIL			✓		
KNOB-HANDLE WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		
KNOB-HANDLE WITHOUT LOCK CYLINDER PROTECTION (OUTSIDE)			✓		

PRAGA

AUXILIARY LOCK ALUMINIUM PLATES



	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
SPLIT PLATE WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		
SPLIT PLATE WITHOUT LOCK CYLINDER PROTECTION (OUTSIDE)			✓		

BERGEN


MAIN LOCK (GERDA ZW BOLT LOCK) LONG PLATES



	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
HANDLE-HANDLE TD 1000 WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		×
HANDLE-HANDLE TD 200 WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		×
KLAMKA JEDNOSTRONNA WITH LOCK CYLINDER PROTECTION (OUTSIDE) FOR HANDRAIL			✓		×
KNOB-HANDLE TD 1000 WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		×
KNOB-HANDLE TD 200 WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		×

BERGEN

MAIN LOCK (GERDA ZW BOLT LOCK) SPLIT PLATES



	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
HANDLE-HANDLE WITH LOCK CYLINDER PROTECTION (OUTSIDE)			×		✓
KLAMKA JEDNOSTRONNA WITH LOCK CYLINDER PROTECTION (OUTSIDE) FOR HANDRAIL			×		✓
KNOB-HANDLE WITH LOCK CYLINDER PROTECTION (OUTSIDE)			×		✓

BERGEN

AUXILIARY LOCK PLATES



	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
SPLIT PLATE WITH LOCK CYLINDER PROTECTION (OUTSIDE)			✓		
SPLIT PLATE WITHOUT LOCK CYLINDER PROTECTION (OUTSIDE)			✓		

EXTRA CHARGE OPTIONS	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
24 V ELECTRIC STRIKE WITH DAY / NIGHT FEATURE FACTORY INSTALLED RECOMMENDED FOR DOORS WITH HANDRAIL RECOMMENDED WITH POWER SUPPLY UNIT – SEE PAGE 115	✓	✓	✓	x	✓
REVERSIVE ELECTRIC STRIKE FACTORY INSTALLED RECOMMENDED FOR DOORS WITH HANDRAIL RECOMMENDED WITH POWER SUPPLY UNIT – SEE PAGE 115	✓	✓	✓	x	✓
24 V AVERSIVE ELECTRIC STRIKE WITH DAY / NIGHT FEATURE FACTORY INSTALLED IN DUO PASSIVE DOOR LEAF RECOMMENDED FOR DOORS WITH HANDRAIL RECOMMENDED WITH POWER SUPPLY UNIT – SEE PAGE 115	x	x	x	✓	x
REVERSIVE ELECTRIC STRIKE FACTORY INSTALLED IN DUO PASSIVE DOOR LEAF RECOMMENDED FOR DOORS WITH HANDRAIL RECOMMENDED WITH POWER SUPPLY UNIT – SEE PAGE 115	x	x	x	✓	x
MAGNETIC REED SWITCH FACTORY INSTALLED	✓	✓	✓	✓	✓
DOOR SHORTENING WITHIN THE 0-100 mm RANGE FOR SELECTED DESIGNS	✓	✓	✓	✓	✓
DOOR TO SIZE INCREMENTS EVERY 10 mm AVAILABLE ONLY WITH ALUTHERM DOOR FRAME AND FOR SELECTED DESIGNS	✓	✓	✓	✓	✓
CUSTOM DOOR HEIGHT UP TO 2400 mm INCREMENTS EVERY 50 mm AVAILABLE ONLY WITH ALUTHERM DOOR FRAME AND FOR SELECTED DESIGNS	✓	✓	✓	✓	✓
AUTOMATIC 3-POINT MORTISE LOCK OR 3-POINT 2-HOOK MORTISE LOCK	x	no extra charge	no extra charge	no extra charge	x
3D HINGE WITH CAPS MATCHING HARDWARE COLOUR	✓	no extra charge	no extra charge	no extra charge	no extra charge
AUXILIARY LOCK FOR DOORS WITH MORTISE LOCK	x	✓	✓	✓	x
TWO-COLOUR DOOR, TERRA PALETTE	✓	✓	✓	✓	✓
INTERNAL DOOR LEAF REINFORCEMENT FOR SURFACE-MOUNTED CLOSER EXTRA CHARGE	✓	✓	✓	✓	✓
DRIP EDGE MATCHING DOOR LEAF COLOUR	✓	✓	✓	✓	✓
ADJUSTMENT FOR HANDRAIL WITH PUSHBUTTON	✓	✓	✓	✓	✓
MOUNTING KIT: FRAME SCREWS, WEDGES, MOUNTING ANCHORS (FRAME SCREWS FOR INSTALLATION IN ORDINARY CONCRETE, CERAMIC BRICK, SOLID SILICATE BRICK, WOOD)				no extra charge	

EXTRA CHARGE OPTIONS		OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
	DOOR OPENING SENSOR tedee	✓	✓	✓	✓	✓
	BIOMETRIC ACCESS CONTROL KEYPAD tedee	✓	✓	✓	✓	✓
	VIEWER 50/80	✓	✓	✓	✓	✓
	ELECTRONIC VIEWER 4,3" WITH VIDEO RECORDING	✓	✓	✓	✓	✓
	ELECTRONIC VIEWER 2,4 " WITH PHOTO TAKING	✓	✓	✓	✓	✓
	ACCESS CONTROL KEYPAD	✓	✓	✓	✓	✓
	12 V SWITCHING POWER SUPPLY RECOMMENDED FOR DOORS WITH ELECTRIC STRIKE, FOR HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT	✓	✓	✓	✓	✓
	24 V SWITCHING POWER SUPPLY RECOMMENDED FOR DOORS WITH ELECTRIC STRIKE, FOR HANDRAIL WITH PUSHBUTTON AND LED BACKLIGHT	✓	✓	✓	✓	✓
	LOWER LOCKING PLATE	✓	×	×	×	×
	INTEGRATED CLOSER	×	✓	✓	✓	✓
	ALUMINUM DECORATIVE CAPS FOR HINGES MATCHING THE COLOUR OF HARDWARE	✓	✓	✓	✓	✓
	ALUMINUM THRESHOLD FOR OPTIMA DOOR SERIES H20 mm	✓	×	×	×	×
	WARM ALUMINIUM THRESHOLD FOR THERMO PRIME, THERMO PREMIUM DOOR SERIES H20 mm	×	✓	✓	✓	✓
	DRIP CAP MATCHING THE COLOUR OF THE DOOR LEAF	✓	✓	✓	✓	✓

EXTRA CHARGE OPTIONS		OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PREMIUM 75 DUO	THERMO PRIME 75
	STEEL-WOODEN SIDE EXTENSION WIDTH 30 mm PERFOTHERM, DUOTHERM DOOR FRAMES	✓	✓	✓	×	×
	STEEL-WOODEN SIDE EXTENSION WIDTH 60 mm PERFOTHERM, DUOTHERM DOOR FRAMES	✓	✓	✓	×	×
	ALUMINUM SIDE EXTENSION WIDTH 25 mm ALUTHERM PRIME DOOR FRAME	✓	✓	✓	✓	✓
	ALUMINUM SIDE EXTENSION WIDTH 33 mm ALUTHERM PRIME DOOR FRAME	✓	✓	✓	✓	✓
	ALUMINUM SIDE EXTENSION WIDTH 44 mm ALUTHERM PRIME DOOR FRAME	✓	✓	✓	✓	✓
	ALUMINUM SIDE EXTENSION WIDTH 55 mm ALUTHERM PRIME DOOR FRAME	✓	✓	✓	✓	✓
	ALUMINUM SIDE EXTENSION WIDTH 108 mm ALUTHERM PRIME DOOR FRAME	✓	✓	✓	✓	✓
	SUB THRESHOLD (EXTENSION) HARDENED EXPANDED POLYSTYRENE, AVAILABLE HEIGHTS: 70-250 mm INCREMENTS EVERY 10 mm, WIDTH 1200 mm	35 mm 70 mm 80 mm 90 mm 100 mm	110 mm 120 mm 130 mm 140 mm 150 mm	160 mm 170 mm 180 mm 190 mm 200 mm	210 mm 220 mm 230 mm 240 mm 250 mm	
	LOCK AND CYLINDER MAINTENANCE AGENT 25 ml	✓	✓	✓	✓	✓
	LOCK AND CYLINDER MAINTENANCE AGENT 100 ml	✓	✓	✓	✓	✓
	LOCK AND CYLINDER MAINTENANCE AGENT 400 ml	✓	✓	✓	✓	✓
	GERDA RESIST ULTRA INSULATION DUO TAPES	✓	✓	✓	✓	✓

LOCK CYLINDERS								
	DOOR OPENING DIRECTION	MAIN LOCK PROFILE CYLINDERS		AUXILIARY LOCK PROFILE CYLINDERS		CLASS 5 EVO	CLASS 6 EXXO	CLASS 6 VITA
		MAIN LOCK PLATE	LOCK CYLINDER SIZE	AUXILIARY LOCK PLATE	LOCK CYLINDER SIZE			
THERMO PREMIUM 60 OPTIMA 60 main lock: RC2 – GERDA ZW1000ZM cog wheel RC3 – GERDA ZW2000ZM cog wheel auxiliary lock: GERDA ZW500	inwards	long BERGEN TD200, TD1000	35/55Z	BERGEN integrated TW300	G55/35	✓	✓	✓
		long PRAGA	30/50Z	PRAGA	G50/30	✓	✓	✓
	outwards	long BERGEN TD200, TD1000	35/55Z	BERGEN integrated TW300	G35/55	✓	✓	✓
		long PRAGA	50/30Z	PRAGA	G30/50	✓	✓	✓
THERMO PREMIUM 60 MORTISE LOCK FUHR cam	inwards	split BERGEN TW300	35/55			✓	✓	✓
		long PRAGA	30/50			✓	✓	✓
	outwards	split BERGEN TW300	35/55			✓	✓	✓
		long PRAGA	30/50			✓	✓	✓
THERMO PREMIUM 60 MORTISE LOCK FUHR cam set: single-sided handle & ring escutcheon	outwards	split BERGEN TW300	35/35	✓	✓	✓		
		long PRAGA	30/35	✓	✓	✓		
THERMO PREMIUM 75 GERDA ZW2000ZM cog wheel	inwards	long BERGEN TD200, TD1000	45/55Z	BERGEN integrated TW300	G55/45	✓	✓	✓
		long PRAGA	45/50Z	PRAGA	G50/45	✓	✓	✓
	outwards	long BERGEN TD200, TD1000	50/55Z	BERGEN integrated TW300	G50/55	✓	✓	✓
		long PRAGA	45/50Z	PRAGA	G45/50	✓	✓	✓
THERMO PRIME 75 THERMO PREMIUM 75 MORTISE LOCK FUHR cam set: handle-handle	universal	split BERGEN TW300	45/55			✓	✓	✓
		long PRAGA	45/50			✓	✓	✓
THERMO PRIME 75 THERMO PREMIUM 75 MORTISE LOCK FUHR cam set: single-sided handle & ring escutcheon	inwards	split BERGEN TW300	30/55			✓	✓	✓
		long PRAGA	30/50			✓	✓	✓
	outwards	split BERGEN TW300	35/45			✓	✓	✓
		long PRAGA	35/45			✓	✓	✓

DOORS WITH TWO LOCKS: MAIN LOCK - KEY/KEY LOCK CYLINDER; AUXILIARY LOCK - KEY/TURNTHUMB LOCK CYLINDER.
DOORS WITH ONE LOCK: MAIN LOCK - KEY/KEY LOCK CYLINDER OR LUB KEY/THUMBTURN LOCK CYLINDER.
MARKING G BEFORE THE SIZE OF THE LOCK CYLINDER INDICATES THUMBTURN.

THERMO PRIME • THERMO PREMIUM

Dimensions in mm.

SIZE	DOOR MODEL	Ss DOOR LEAF WIDTH NARROW SIDE	Sp DOOR LEAF WIDTH BROAD SIDE
80	THERMO PRIME THERMO PREMIUM	812	842
90N		882	912
90E		925	955
100E		1025	1055

HEIGHT	DOOR MODEL	Hs DOOR LEAF HEIGHT NARROW SIDE	Hp DOOR LEAF HEIGHT BROAD SIDE
2087	THERMO PRIME THERMO PREMIUM	2009	2039
2100	THERMO PRIME	2022	2052
2150		2072	2102
2200		2122	2152
2250		2172	2202
2300		2222	2252
2350		2272	2302
2400		2322	2352

SIZE	DOOR FRAME MODEL	So CLEAR OPENING	Sc TOTAL DOOR FRAME WIDTH	Sm RECOMMENDED MOUNTING CUT-OUT WIDTH*	Ho CLEAR HEIGHT OPENING	Hc TOTAL DOOR FRAME HEIGHT***	Hm RECOMMENDED MOUNTING CUT-OUT HEIGHT FROM LEVEL 0**
80	DUOTHERM	796	896	916	2006	2076	2086
90N		866	966	986			
90E		909	1009	1029			
100E		1009	1109	1129			
80	DUOTHERM XL	796	916	936			
90N		866	988	1006			
90E		909	1029	1049			
100E		1009	1129	1149			
80	ALUTHERM	789	918	938		STANDARD 2087 CUSTOM****	STANDARD 2097 CUSTOM****
90N		859	988	1008			
90E		902	1031	1051			
100E		1002	1131	1151			
				2150	2160		
				2200	2210		
				2250	2260		
				2300	2310		
				2350	2360		
				2400	2410		

* INCLUDES MOUNTING CLEARANCE OF 10 mm PER SIDE



** INCLUDES MOUNTING CLEARANCE OF 10 mm

*** FOR DOORS WITH INTEGRATED CLOSER TOTAL HEIGHT OF THE FRAME +3.5 mm



**** THERMO PRIME ONLY

THERMO PRIME 75 • THERMO PREMIUM 75

ALUTHERM 75





DUOTHERM 75
DUOTHERM 75 XL





THERMO PREMIUM 60

ALUTHERM 60



DUOTHERM 60
DUOTHERM 60 XL



AVOID INSTALLING DARK COLOUR DOORS IN AREAS EXPOSED TO DIRECT AND LONG-TERM SUNLIGHT. DOOR INSTALLED AS EXTERIOR ENTRANCE DOOR AT SITES DIRECTLY EXPOSED TO WEATHER CONDITIONS (RAIN, WIND, ETC.) SHOULD OPEN OUTWARDS. IF MOUNTED AS AN EXTERIOR ENTRANCE DOOR, A ROOFING IS REQUIRED.

OPTIMA

Dimensions in mm.

SIZE	DOOR MODEL	Ss DOOR LEAF WIDTH NARROW SIDE	Sp DOOR LEAF WIDTH BROAD SIDE	Hs DOOR LEAF HEIGHT NARROW SIDE	Hp DOOR LEAF HEIGHT BROAD SIDE
80N	OPTIMA	782	812	2023	2038,5
80		812	842		
90N		882	912		
90E		925	955		
100E		1025	1055		


SIZE	DOOR FRAME MODEL	So CLEAR OPENING	Sc TOTAL DOOR FRAME WIDTH	Sm RECOMMENDED MOUNTING CUT-OUT WIDTH*	Ho CLEAR HEIGHT OPENING	Hc TOTAL DOOR FRAME HEIGHT***	Hm RECOMMENDED MOUNTING CUT-OUT HEIGHT FROM LEVEL 0**
80N	PERFOTHERM	766	866	886	2006	2076	2086
80		796	896	916			
90N		866	966	986			
90E		909	1009	1029			
100E		1009	1109	1129			
80N	PERFOTHERM XL	766	886	906		2086	2096
80		796	916	936			
90N		866	986	1006			
90E		909	1029	1049			
100E		1009	1129	1149			
80	ALUTHERM	789	918	938	2087	2097	
90N		859	988	1008			
90E		902	1031	1051			
100E		1002	1131	1151			

* INCLUDES MOUNTING CLEARANCE OF 10 mm PER SIDE




** INCLUDES MOUNTING CLEARANCE OF 10 mm

OPTIMA

ALUTHERM 60



PERFOTHERM 60
PERFOTHERM 60 XL



AVOID INSTALLING DARK COLOUR DOORS IN AREAS EXPOSED TO DIRECT AND LONG-TERM SUNLIGHT. DOOR INSTALLED AS EXTERIOR ENTRANCE DOOR AT SITES DIRECTLY EXPOSED TO WEATHER CONDITIONS (RAIN, WIND, ETC.) SHOULD OPEN OUTWARDS. IF MOUNTED AS AN EXTERIOR ENTRANCE DOOR, A ROOFING IS REQUIRED.



THERMO PREMIUM 75 DUO

Dimensions in mm.

SIZE	DOOR MODEL	Ss DOOR LEAF WIDTH NARROW SIDE	Sp DOOR LEAF WIDTH BROAD SIDE
80	THERMO PREMIUM 75 DUO	812	842
90N		882	912
90E		925	955
100E		1025	1055



HEIGHT	DOOR MODEL	Hs DOOR LEAF HEIGHT NARROW SIDE	Hp DOOR LEAF HEIGHT BROAD SIDE
2087	THERMO PREMIUM 75 DUO	2009	2039

SIZE	DOOR FRAME MODEL	So CLEAR OPENING	Sc TOTAL DOOR FRAME WIDTH	Sm RECOMMENDED MOUNTING CUT-OUT WIDTH*	Ho CLEAR HEIGHT OPENING	Hc TOTAL DOOR FRAME HEIGHT***	Hm RECOMMENDED MOUNTING CUT-OUT HEIGHT FROM LEVEL 0**
80	ALUTHERM	787	918	938		2087	2097
80+30		1078	1209	1229			
80+40		1178	1309	1329			
80+50		1278	1409	1429			
90 E		900	1031	1051			
90 E +30		1191	1322	1342			
90 E +40		1291	1422	1442			
90 E +50		1391	1522	1542			
100 E		1000	1131	1151			
100 E +30		1291	1422	1442			
100 E +40		1391	1522	1542			
100 E +50		1491	1622	1642			

* INCLUDES MOUNTING CLEARANCE OF 10 mm PER SIDE

** INCLUDES MOUNTING CLEARANCE OF 10 mm

THERMO PREMIUM 75 DUO



AVOID INSTALLING DARK COLOUR DOORS IN AREAS EXPOSED TO DIRECT AND LONG-TERM SUNLIGHT. DOOR INSTALLED AS EXTERIOR ENTRANCE DOOR AT SITES DIRECTLY EXPOSED TO WEATHER CONDITIONS (RAIN, WIND, ETC.) SHOULD OPEN OUTWARDS. IF MOUNTED AS AN EXTERIOR ENTRANCE DOOR, A ROOFING IS REQUIRED.



Gerda Sp. z o.o.

Sokołów, ul. Sokołowska 49
05-806 Komorów POLAND
Phone.: (+48 22) 329 10 30

e-mail: export@gerda.pl

www.gerda.com

This catalogue does not constitute an offer under the provisions of law and is merely informational.

Gerda Sp. z o.o., committed to continuously improving its products and services, reserves the right (without prior notice) to introduce changes to products that, due to the printing material preparation process, may not be included in this material.

Despite all the effort and care in controlling the presented content, substantial or printing errors may occur.

Colours presented herein may differ from the original due to different colour reproduction technique in the printing process. The owner of the copyright for this catalogue, as well as Gerda Sp. z o.o. logotypes and graphics, is Gerda Sp. z o.o.

It is prohibited to copy or distribute any content and material without the prior consent of Gerda Sp. z o.o.

Distributor:

