

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-231-8006450-1-4

Basis:

EN 1154

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Controlled door closing devices

Product description/
specification

GD500, GD1000, GD900, GD1500 PLUS

According to configuration in **annex 1**

Levels and classes of
performance

According to configuration in **annex 1**

Intended use(s)

Intended for use on hinged doors with requirements for fire resistance and smoke control

placed on the market
under the name or trade
mark of

Gerda sp. z o.o.

Sokolów, ul. Sokolowska 49, PL-05-806 Komorów

and produced in the
manufacturing plant(s)

9007068

Notified body No.

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1154 : 1996-11+A1:2002-12+AC:2006-06


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 27.07.2020 and will remain valid until 26.07.2029, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 231 8006450.



Pascal Geiger
Deputy head of the notified product certification body
Certification & Surveillance Body
ift Rosenheim
27.07.2026



www.ec.europa.eu

Identity check



www.ift-rosenheim.de/
ift-zertifiziert
ID: E5A-91BEE

Certificate of constancy of performance

Annex 1
 Certificate holder: Gerda sp. z o.o.
 Date of issue: 27.07.2026



Certificate No.: 0757-CPR-231-8006450-1-4

Compilation of door closing devices:

Classification key

1	2	3	4	5	6
Category of use	Mechanical durability	Closing device size	Suitability for use one fire / smoke doors	Safety	Corrosion resistance

no.	product	Reference-test report	Item	1	2	3	4	5	6
1	Type GD500	12-001020-PR0 27.06.2013 13-003990-PR03 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
2	Type GD1000	15-000514-PR03 05.12.2018 13-003990-PR04 11.02.2015	upper door closer with stay arm	4	8	3	1	1	3
3	Type GD900	12-001020-PR06 19.06.2013 13-003990-PR02 11.02.2015	upper door closer with stay arm	4	8	4 2	1	1	3
4	Type GD1500 PLUS	557255 8.04.2026 502521 issue 4 31.03.2026	upper door closer with slide rail	4* 3**	8	2 to 5	1	1	3

*Standard door mount pull side

**Transom mount push side & parallel arm