



TREZOR TEST s.r.o.
Na Vršku 67, 250 67 Klecany, Czech Republic

CERTIFICATION BODY NO. 3025
ACCREDITED BY
THE CZECH ACCREDITATION INSTITUTE

CERTIFICATE OF CONFORMITY

Registration number: TT – 141/2023

for

GERDA Sp. z o. o.
ul. Sokołowska 49, Sokołów, 05-806 Komorow, Poland

PRODUCT: Security fire resistance single-leaf door type GERDA PREMIUM 60 RC3 EI.CZ height 1970 mm to 2250 mm, width 700 mm to 1200 mm installed in a steel frame type FTM8, FTM7, FTH4, FTH1, FAH3, FAH1, FAO3, FAO2 made of sheet metal 1.5 mm thick opening towards the protected area
producer: GERDA Sp. z o. o.
production plant: Eugeniusza Kwiatkowskiego 13, 27-200 Starachowice, Poland
CZ-CPA 25.12.10

CLASSIFICATION: The product is in accordance with the certification schema CS TT 5/2020 (based on schema 5 of ČSN EN ISO/IEC 17067:2014, based on testing and production management audit).

in conformity with requirements of

Resistance class RC 3

according to ČSN EN 1627:2022 chap. 4 and NSA certification procedure, Annex 1.2

The certificate is issued on the basis of Certification report No. C 188/2022 within the accreditation according to the Certificate No. 77/2022 of 14th February 2022 issued by the Czech Accreditation Institute.

Chairman of the Certification board
Certification Body No. 3025
Ing. Ladislav POLÁK

Deputy chairman of the Certification board
Certification Body No. 3025
Ing. Daniela ČÍŽKOVÁ

Date of publication:
Certification date:
Certification expiration date:



13. 04. 2023
13. 04. 2023
13. 04. 2026

This certificate can be used and duplicated only unchanged and with all enclosures.